

Message

From: Berger, Debbie [/o=SGMAIL/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=Berger, Debbief3a]
on behalf of Berger, Debbie [/o=sgmail/ou=exchange administrative group (fydibohf23spdlT)/cn=recipients/cn=berger, debbief3a]
Sent: 10/11/2014 22:31:37
To: Waring, Nigel [nwarling@celotex.co.uk]
CC: Evans, Paul [pevans@celotex.co.uk]; Roper, Jon [jroper@celotex.co.uk]; Roome, Jonathan [jroome@celotex.co.uk]
Subject: RE: Price 130mm RS5000

Hi Nigel

Thank you for your email below and your comments.

We have spoken to the BRE about writing us a field of application report demonstrating acceptance of materials with the same fire class as part of our tested system. But they are asking for more test data not just from us but from the industry as a whole before they confidently give the OK to different types of cladding to be used even though they have the same fire class.

It is our experience from talking to people that a Class O fire rated external cladding system can range in thicknesses and materials but it doesn't guarantee they will behave the same under the test conditions of BS8414 Part 2 and while some Class O fire rated cladding systems will pass to BR135 others won't.

Our competitors have LPCB approvals but mainly for their flat roofing products and their approved systems. This Classification is not usually applied to rainscreen cladding systems. Combustible materials are to be tested to BS8414 part 2 and BR135 as outlined in Approved document B not LPCB.

Kind regards

Debbie Berger

Product Manager

dberger@celotex.co.uk

Ext: [REDACTED]

Mob: [REDACTED]

Celotex
Insulation Specialists

Celotex.
Reaching new heights



Celotex Limited, Lady Lane Industrial Estate, Hadleigh, Ipswich, Suffolk, IP7 6BA
Celotex Limited is registered in England with Company number 2183896.
Registered Office: Saint-Gobain House, Binley Business Park, Coventry, CV3 2TT.

celotex.co.uk

 @Celotex



Please consider the environment before printing this email

From: Waring, Nigel

Sent: 07 November 2014 12:57

To: Berger, Debbie; Roper, Jon

Cc: Evans, Paul

Subject: RE: Price 130mm RS5000

Debbie, as discussed. If the BRE tested solution is as per the attached document and that Jonathan Roomes email stating that many RS companies are reluctant to use the product of the test since ADB states that "the product used must be in accordance with the tested application" Seen here:

http://www.planningportal.gov.uk/uploads/br/BR_PDF_ADB1_2006.pdf

If this is the case, this is not the smokescreen that many would make it out to be. Accepted that blanket approvals for this are rare, since the components differ widely. Therefore it makes sense either to have BRE apply certification and therefore acceptance to the test provided that all components adhere to a certain Eurocode or fire performance themselves, in the same way that the Steel Frame construction and also the methods to secure and fasten these elements have to conform to EN numbers. Or could we not have the product accepted as part of the LPCB approval? KS and Recticel have some also, but mainly for roofing applications, seen here:

http://www.redbooklive.com/search/searchresults.jsp?q=insulation&sortField=CompanyName&sortOrder=ASC&category=2&from=0&results_pp=10

Your thoughts welcome!

Nigel Waring

Area Sales Manager

nwaring@celotex.co.uk

Mob: [REDACTED]

Celotex
Insulation Specialists

Celotex.
Reaching new heights



Celotex Limited, Lady Lane Industrial Estate, Hadleigh, Ipswich, Suffolk, IP7 6BA
Celotex Limited is registered in England with Company number 2183896.
Registered Office: Saint-Gobain House, Binley Business Park, Coventry, CV3 2TT.

celotex.co.uk

@Celotex



Please consider the environment before printing this email

From: Berger, Debbie

Sent: 07 November 2014 12:28

To: Roper, Jon

Cc: Waring, Nigel

Subject: Price 130mm RS5000

Hi Jon

How do I give Nigel Waring a price for 130mm RS5000?

He needs this for 4pm today? Sorry its short notice Jon

Nigel: Please find attached a copy of our 12 page BR135 Fire test report.

Kind regards

Debbie Berger

Product Manager

dberger@celotex.co.uk

Ext:

Mob:

DDI:

Tel:

Fax:

Web: celotex.co.uk

Follow: [@Celotex](https://twitter.com/Celotex)

Celotex
Insulation Specialists

Celotex.
Reaching new heights



Celotex Limited, Lady Lane Industrial Estate, Hadleigh, Ipswich, Suffolk, IP7 6BA
Celotex Limited is registered in England with Company number 2183896.
Registered Office: Saint-Gobain House, Binley Business Park, Coventry, CV3 2TT.

celotex.co.uk

[@Celotex](https://twitter.com/Celotex)



Please consider the environment before printing this email

Celotex Limited, registered in England, Company Number 02183896. Registered Office Saint Gobain House, Binley Business Park, Coventry, CV3 2TT

The information transmitted including any attachments is intended only for the exclusive use of the person(s) or entity to which it is addressed and may contain confidential and privileged material that may be subject to legal privilege. Any perusal, review, retransmission, dissemination, distribution, reproduction or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient without the sender's prior consent is unauthorised and strictly prohibited. If you have received this message in error, please notify the sender immediately and delete the message from your computer without making any copies. Any personal views and opinions expressed in this e-mail message are the sender's own and do not necessarily represent the views and opinions of the Company.