

From: Janice Wray
Sent: 03 February 2016 10:33
To: Alan Brooks
Subject: FW: FED - Nominally rated fire check list for operatives

Alan

Not sure if sent this thro to you yesterday or not. As per Alex request the Fire Risk Assessor and I have come up with the following checklist for your operatives -

The definition of a Notional (fire) door is.

1. It fits well into the door frame
2. It is not damaged, there are no holes in the door, locks removed etc door cracked
3. It is a timber door, which is solidly constructed
4. Any glass in the door is Georgian wired glass
5. The letter box, if fitted, is in the lower half of the door and is not damaged, the letter box flap is in place etc, the letter box is preferably metal
6. The width of the door is 44mm
7. The door stops are 1 inch thick
8. Hinges not damaged, screws missing or center pin coming out.

9. The door frame is well fixed to the surrounding wall, both internally and externally, with no gaps between the door frame and the wall

10. Any other items fitted to the door are in place, the spy hole is in the door, there is not a hole through the door, the same for any door knockers etc

A certified 30 minute fire rated door will be marked as such on the head of the door, if it is an older door it may have a TRADA mark on it, bulls eye etc.

Any queries please advise

Thanks

Janice

Janice Wray
TMO Health, Safety & Facilities Manager
t: [REDACTED]
<<http://www.kctmo.org.uk/>>
w: www.kctmo.org.uk<<http://www.kctmo.org.uk/>>
a: : The Network Hub, 300 Kensal Road, W10 5BE

P Before printing, please think about the environment

From: Alex Bosman
Sent: 02 February 2016 14:36
To: Janice Wray
Cc: Alan Brooks
Subject: FED - Nominally rated fire check list for operatives

Hi Janice,

Thanks for confirming we can install perkos to existing nominally rated fire doors without compromising building regs.

Are you able to provide a check list for operatives to confirm doors can be considered nominally fire rated when attending prior to installing a perko and renewal of hinges?

Thanks,

Alex

Alex Bosman

Head of Contract Management

Kensington & Chelsea TMO

292a Kensal Road

W10 5BE

[REDACTED]

This e-mail message has been scanned for Viruses and Content and cleared by MailMarshal

DISCLAIMER:

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This message may contain confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Kensington & Chelsea TMO Ltd. Finally, the recipient should check this email and any attachments for the presence of viruses. Kensington & Chelsea TMO Ltd accepts no liability for any damage caused by any Virus transmitted by this email.