

1996 No. 825

HEALTH AND SAFETY

The Pipelines Safety Regulations 1996

Thomson Reuters (Legal) Limited.

UK Statutory Instruments Crown Copyright. Reproduced by permission of the Controller of Her Majesty's Stationery Office.


<i>Made</i>	<i>18th March 1996</i>
<i>Laid before Parliament</i>	<i>21st March 1996</i>
<i>Coming into force</i>	<i>11th April 1996</i>

The Secretary of State, in exercise of the powers conferred on him by sections 15(1), (2), (3)(a), (4)(a), (5)(b), (6)(b), 43(2) and (6), and 82(3)(a) of, and paragraphs 15(1) and 16 of Schedule 3 to, the Health and Safety at Work etc. Act 1974¹ ("the 1974 Act") and of all other powers enabling him in that behalf and for the purpose of giving effect without modifications to proposals submitted to him by the Health and Safety Commission under section 11(2)(d) of the 1974 Act after the carrying out by the said Commission of consultations in accordance with section 50(3) of that Act, hereby makes the following Regulations:

Notes

- ¹ Section 15 and 50 were amended by the Employment Protection Act 1975 (c.71) Schedule 15, paragraphs 6 and 16 respectively; the general purposes of Part I referred to in section 15(1) were extended by sections 1(1) and 2(1) of the Offshore Safety Act 1992 (1992 c.15); and section 15 was extended by sections 1(2) and 2(2) of the 1992 Act.

ExtentPreamble: United Kingdom

PART I**INTRODUCTION**

Law In Force

1. Citation and commencement


These Regulations may be cited as the Pipelines Safety Regulations 1996 and shall come into force on 11th April 1996.

Commencement

Pt I reg. 1: April 11, 1996

Extent

Pt I reg. 1: United Kingdom



Law In Force

2.— Interpretation

(1) In these Regulations, unless the context otherwise requires—

“dangerous fluid” has the meaning given by regulation 18(2);

“emergency shut-down valve” means a valve which is capable of adequately blocking the flow of fluid within the pipeline at the point at which it is incorporated;

“the Executive” means the Health and Safety Executive;

“fluid” includes a mixture of fluids;

“local authority” means —

(a) in relation to England, a county council, a council having the functions of a county council, the [London Fire Commissioner]¹, a [metropolitan county fire and rescue authority]², or the Council for the Isles of Scilly;

(b) in relation to Scotland, the council for a local government area; and

(c) in relation to Wales, a county council or a county borough council

;

“major accident” means death or serious injury involving a dangerous fluid;

“major accident hazard pipeline” has the meaning given by regulation 18(1);

“operator”, in relation to a pipeline means —

(a) the person who is to have or (once fluid is conveyed) has control over the conveyance of fluid in the pipeline;

(b) until that person is known (should there be a case where at a material time he is not yet known) the person who is to commission or (where commissioning has started) commissions the design and construction of the pipeline;

(c) when a pipeline is no longer, or is not for the time being used, the person last having control over the conveyance of fluid in it;

“pipeline” shall be construed in accordance with regulation 3.

(2) Unless the context otherwise requires, any reference in these Regulations to—

(a) a numbered regulation or Schedule is a reference to the regulation or Schedule in these Regulations so numbered; and

(b) a numbered paragraph is reference to the paragraph so numbered in the regulation or Schedule in which the reference appears.

Notes

¹ Words substituted by London Government (London Fire Commissioner and Policing) (Amendment) Regulations 2018/269 Sch.1 para.5(2) (April 1, 2018)


² Words substituted by Civil Contingencies Act 2004 c. 36 Sch.2(1) para.10(2) (April 1, 2005)

Commencement

Pt I reg. 2(1)-(2)(b): April 11, 1996

Extent

Pt I reg. 2(1)-(2)(b): United Kingdom



Law In Force

3.— Meaning of “pipeline”

(1) Subject to the provisions of this regulation, in these Regulations “pipeline” means a pipe or system of pipes (together with any apparatus and works, of a kind described in paragraph (2), associated with it) for the conveyance of any fluid, not being—

- (a) a drain or sewer;
- (b) a pipe or system of pipes constituting or comprised in apparatus for heating or cooling or for domestic purposes;
- (c) a pipe (not being apparatus described in paragraph (2)(e)) which is used in the control or monitoring of any plant.

(2) The apparatus and works referred to in paragraph (1) are—

- (a) any apparatus for inducing or facilitating the flow of any fluid through, or through a part of, the pipe or system;
- (b) any apparatus for treating or cooling any fluid which is to flow through, or through part of, the pipe or system;
- (c) valves, valve chambers and similar works which are annexed to, or incorporated in the course of, the pipe or system;
- (d) apparatus for supplying energy for the operation of any such apparatus or works as are mentioned in the preceding sub-paragraphs;
- (e) apparatus for the transmission of information for the operation of the pipe or system;
- (f) apparatus for the cathodic protection of the pipe or system; and
- (g) a structure used or to be used solely for the support of a part of the pipe or system.

(3) For the purpose of sub-paragraph (c) of paragraph (2) a valve, valve chamber or similar work shall be deemed to be annexed to, or incorporated in the course of, a pipe or system where it connects the pipe or system to plant, an offshore installation, or a well.

(4) A pipeline for supplying gas to premises shall be deemed not to include anything downstream of an emergency control.

(5) In this regulation—

“emergency control” means a valve for shutting off the supply of gas in an emergency, being a valve intended for use by a consumer of gas;


“gas” has the same meaning as it has in Part I of the Gas Act 1986.

Commencement

Pt I reg. 3(1)-(5) definition of "gas": April 11, 1996

Extent

Pt I reg. 3(1)-(5) definition of "gas": United Kingdom



Law In Force

4.— Application

(1) Subject to paragraph (2), these Regulations shall apply —

(a) in Great Britain; and

(b) to and in relation to pipelines and activities outside Great Britain to which sections 1 to 59 and 80 to 82 of the 1974 Act apply by virtue of article 6 of the Health and Safety at Work etc. Act 1974 (Application outside Great Britain) Order 1995.

(2) These Regulations shall not apply to any pipeline or part of a pipeline of a kind which is described in Schedule 1.


(3) In the case of a pipeline to which the Pressure Systems and Transportable Gas Containers Regulations 1989 apply, nothing in these Regulations shall require the taking of any measures to the extent that they are for the prevention of danger within the meaning of those Regulations.

Commencement

Pt I reg. 4(1)-(3): April 11, 1996

Extent

Pt I reg. 4(1)-(3): United Kingdom

PART II**GENERAL**

Law In Force

5. Design of a pipeline

The operator shall ensure that no fluid is conveyed in a pipeline unless it has been so designed that, so far as is reasonably practicable, it can withstand —

(a) forces arising from its operation;

(b) the fluids that may be conveyed in it; and


(c) the external forces and the chemical processes to which it may be subjected.

Commencement

Pt II reg. 5(a)-(c): April 11, 1996

Extent

Pt II reg. 5(a)-(c): United Kingdom

 Law In Force

6. Safety systems


The operator shall ensure that no fluid is conveyed in a pipeline unless it has been provided with such safety systems as are necessary for securing that, so far as is reasonably practicable, persons are protected from risk to their health or safety.

Commencement

Pt II reg. 6: April 11, 1996

Extent

Pt II reg. 6: United Kingdom

 Law In Force

7. Access for examination and maintenance


The operator shall ensure that no fluid is conveyed in a pipeline unless it has been so designed that, so far as is reasonably practicable, it may be examined and work of maintenance may be carried out safely.

Commencement

Pt II reg. 7: April 11, 1996

Extent

Pt II reg. 7: United Kingdom

 Law In Force

8. Materials


The operator shall ensure that no fluid is conveyed in a pipeline unless it is composed of materials which are suitable.

Commencement

Pt II reg. 8: April 11, 1996

Extent

Pt II reg. 8: United Kingdom



Law In Force

9. Construction and installation


The operator shall ensure that no fluid is conveyed in a pipeline (save for the purpose of testing it) unless it has been so constructed and installed that, so far as is reasonably practicable, it is sound and fit for the purpose for which it has been designed.

Commencement

Pt II reg. 9: April 11, 1996

Extent

Pt II reg. 9: United Kingdom



Law In Force

10. Work on a pipeline


The operator shall ensure that modification, maintenance or other work on a pipeline is carried out in such a way that its soundness and fitness for the purpose for which it has been designed will not be prejudiced.

Commencement

Pt II reg. 10: April 11, 1996

Extent

Pt II reg. 10: United Kingdom



Law In Force

11. Operation of a pipeline

The operator shall ensure that—


- (a) no fluid is conveyed in a pipeline unless the safe operating limits of the pipeline have been established; and
 - (b) a pipeline is not operated beyond its safe operating limits,
- save for the purpose of testing it.

Commencement

Pt II reg. 11(a)-(b): April 11, 1996

Extent

Pt II reg. 11(a)-(b): United Kingdom



Law In Force

12. Arrangements for incidents and emergencies

The operator shall ensure that no fluid is conveyed in a pipeline unless adequate arrangements have been made for dealing with—

- (a) an accidental loss of fluid from;
- (b) discovery of a defect in or damage to; or
- (c) other emergency affecting,


the pipeline.

Commencement

Pt II reg. 12(a)-(c): April 11, 1996

Extent

Pt II reg. 12(a)-(c): United Kingdom



Law In Force

13. Maintenance


The operator shall ensure that a pipeline is maintained in an efficient state, in efficient working order and in good repair.

Commencement

Pt II reg. 13: April 11, 1996

Extent

Pt II reg. 13: United Kingdom



Law In Force

[13A.— Iron pipelines

(1) Subject to paragraph (3), the Executive shall approve—

- (a) with or without modification by it, a programme prepared by the operator of a pipeline;
- or
- (b) a programme which after approval has been modified by the operator or by itself,

if it is satisfied that the programme or modified programme is suitable and sufficient for the period to which it relates.

(2) Subject to paragraph (3), the Executive may prepare and approve a programme for a period for which no suitable and sufficient programme has been prepared by the operator.

(3) The Executive shall consult the operator before it approves a programme which it has itself modified or prepared.

(4) An approval under this regulation—

(a) shall be in writing;

(b) shall be notified to the operator and published in such manner as the Executive may approve; and

(c) may be withdrawn by the Executive by reasonable notice in writing at any time.

(5) The operator shall so far as is practicable comply with a programme approved under this regulation.

(6) In any proceedings for an offence for a contravention of regulation 13 it shall be a defence for the person charged to prove that at the relevant time—

(a) any pipe to which the contravention related was of a description, apart from its geographical location, to which a programme—

(i) approved by the Executive; and

(ii) not then due for completion,

applied; and

(b) where the proceedings arise from an event involving a failure of a pipe, the operator did not know and could not reasonably be expected to have known that there was a risk to safety concerning the pipe which required immediate attention.

(7) Any reference in this regulation to a programme is a reference to a programme for the decommissioning of any description of iron pipe used in a pipeline.

(8) In paragraph (7) “iron” does not include steel.

]¹

Notes

¹ Added by Pipelines Safety (Amendment) Regulations 2003/2563 reg.2 (November 3, 2003)

Extent

Pt II reg. 13A(1)-(8): United Kingdom



Law In Force

14.— Decommissioning

(1) The operator shall ensure that a pipeline which has ceased to be used for the conveyance of any fluid is left in a safe condition.

(2) The operator of a pipeline shall ensure that work done in discharge of the duty contained in paragraph (1) is performed safely.

Commencement

Pt II reg. 14(1)-(2): April 11, 1996

Extent

Pt II reg. 14(1)-(2): United Kingdom

✓ Law In Force

15. Damage to pipeline

No person shall cause such damage to a pipeline as may give rise to a danger to persons.

Commencement

Pt II reg. 15: April 11, 1996

Extent

Pt II reg. 15: United Kingdom

✓ Law In Force

16. Prevention of damage to pipelines

For the purpose of ensuring that no damage is caused to a pipeline, the operator shall take such steps to inform persons of its existence and whereabouts as are reasonable.

Commencement

Pt II reg. 16: April 11, 1996

Extent

Pt II reg. 16: United Kingdom

✓ Law In Force

17. Co-operation


Where there are different operators for different parts of a pipeline, each operator shall co-operate with the other so far as is necessary to enable the operators to comply with the requirements of these Regulations.

Commencement

Pt II reg. 17: April 11, 1996

Extent

Pt II reg. 17: United Kingdom

PART III**MAJOR ACCIDENT HAZARD PIPELINES**

Law In Force

18.— Dangerous fluids

(1) The provisions contained in regulations 19 to 27 shall apply in relation to a pipeline in which a dangerous fluid is being, or is to be conveyed (in these Regulations referred to as a “major accident hazard pipeline”).


(2) For the purpose of these Regulations a fluid is a dangerous fluid if it falls within a description in Schedule 2.

Commencement

Pt III reg. 18(1)-(2): April 11, 1996

Extent

Pt III reg. 18(1)-(2): United Kingdom



Law In Force

19.— Emergency shut-down valves

(1) The operator of a major accident hazard pipeline which—

- (a) is connected to an offshore installation; and
- (b) has an internal diameter of 40 millimetres or more,

shall ensure that the requirements contained in Schedule 3 are complied with in relation to the pipeline.

(2) The duty holder in relation to an offshore installation to which a pipeline described in paragraph (1) is connected shall afford, or cause to be afforded, to the operator of the pipeline such facilities as he may reasonably require for the purpose of securing that the requirements contained in Schedule 3 are complied with in relation to the pipeline.

(3) In this regulation—


“duty holder”, in relation to an offshore installation, means the person who is the duty holder as defined by regulation 2(1) of the 1995 Regulations in relation to that installation;
“the 1995 Regulations” means the Offshore Installations and Pipeline Works (Management and Administration) Regulations 1995.

Commencement

Pt III reg. 19(1)-(3) definition of "the 1995 Regulations": April 11, 1996

Extent

Pt III reg. 19(1)-(3) definition of "the 1995 Regulations": United Kingdom



Law In Force

20. Notification before construction


The operator shall ensure that the construction of a major accident hazard pipeline is not commenced unless he has notified to the Executive the particulars specified in Schedule 4 at least 6 months, or such shorter time as the Executive may approve, before such commencement.

Commencement

Pt III reg. 20: April 11, 1996

Extent

Pt III reg. 20: United Kingdom



Law In Force

21. Notification before use


The operator shall ensure that no fluid is conveyed in a major accident hazard pipeline, or conveyed following a period in which it has been out of commission (other than for routine maintenance), until the expiration of 14 days, or of such shorter period as the Executive may in that case approve, from the receipt by it of a notification of the date on which it is intended to convey or, as the case may be, resume the conveyance of fluid in the pipeline.

Commencement

Pt III reg. 21: April 11, 1996

Extent

Pt III reg. 21: United Kingdom



Law In Force

22.— Notification in other cases

(1) Where there is a change of operator of a major accident hazard pipeline, or of his address, the operator shall notify such change to the Executive within 14 days thereafter.

(2) Subject to paragraph (3), in the case of a major accident hazard pipeline the construction of which has commenced, or has been completed, the operator shall ensure that no event of a kind described in Schedule 5 takes place until the expiration of 3 months, or such shorter time as the Executive may in that case approve, from the receipt by the Executive of the particulars specified in that Schedule in relation to such event.

(3) Where an event of a kind described in Schedule 5 takes place in an emergency, the operator shall notify to the Executive the particulars specified in that Schedule as soon as is reasonably practicable.

Commencement

Pt III reg. 22(1)-(3): April 11, 1996

Extent

Pt III reg. 22(1)-(3): United Kingdom



Law In Force

23.— Major accident prevention document

(1) The operator shall, before the design of a major accident hazard pipeline is completed prepare, and thereafter revise or replace as often as may be appropriate, a document relating to the pipeline containing, subject to paragraph (2), sufficient particulars to demonstrate that—

- (a) all hazards relating to the pipeline with the potential to cause a major accident have been identified;
- (b) the risks arising from those hazards have been evaluated;
- (c) the safety management system is adequate; and
- (d) he has established adequate arrangements for audit and for the making of reports thereof.

(2) Paragraph (1) shall only require the particulars in the document referred to in paragraph (1) to demonstrate the matters referred to in that paragraph to the extent that it is reasonable to expect the operator to address them at the time the document is prepared or revised.

(3) Where the document referred to in paragraph (1) describes any health and safety arrangements or procedures to be followed, the operator shall ensure that those arrangements or procedures are followed unless in the particular circumstances of the case it is not in the best interests of the health and safety of persons to follow them, and there has been insufficient time to revise or replace the document to take account of those circumstances.

(4) In this regulation—

“audit” means systematic assessment of the adequacy of the safety management system, carried out by persons who are sufficiently independent of the system (but who may be employed by the operator) to ensure that such assessment is objective; and


“safety management system” means the organisation, arrangements and procedures established by the operator for ensuring that the risk of a major accident is as low as is reasonably practicable.

Commencement

Pt III reg. 23(1)-(4) definition of "safety management system": April 11, 1996

Extent

Pt III reg. 23(1)-(4) definition of "safety management system": United Kingdom



Law In Force

24.— Emergency procedures


- (1) The operator shall ensure that no fluid is conveyed in a major accident hazard pipeline unless —
- (a) such appropriate organisation and arrangements as shall have effect; and
 - (b) the procedures which shall be followed in different circumstances,
- in the event of an emergency relating to the pipeline have been established and recorded.
- (2) The operator shall revise or replace the record of the organisation, arrangements and procedures referred to in paragraph (1) as often as may be appropriate.
- (3) The operator shall ensure that the organisation, arrangements and procedures referred to in paragraph (1) are tested, by practice or otherwise, as often as may be appropriate.

Commencement

Pt III reg. 24(1)-(3): April 11, 1996

Extent

Pt III reg. 24(1)-(3): United Kingdom



Law In Force

25.— Emergency plans in case of major accidents

- (1) A local authority which has been notified by the Executive that there is, or is to be a major accident hazard pipeline in its area shall before the pipeline is first used or within 9 months of such notification, whichever is later, and subject to paragraph (5), prepare an adequate plan detailing how an emergency relating to a possible major accident in its area will be dealt with.
- (2) In preparing the plan pursuant to paragraph (1) a local authority shall consult the operator of the pipeline, the Executive and any other persons as appear to the authority to be appropriate.
- (3) A local authority which has prepared a plan pursuant to paragraph (1) shall, as often as is appropriate and, in any case, at least every three years review the plan and make such revision as is appropriate.

(4) The operator of a major accident hazard pipeline shall ensure that every local authority through whose area the pipeline will pass is furnished promptly with such information as it may reasonably require in preparing the plan referred to in paragraph (1).

(5) It shall be deemed to be sufficient compliance with the requirement in paragraph (1) as to the time by which a plan is to be prepared, where such time is exceeded by reason of waiting for information referred to in paragraph (4) which has been promptly required.


(6) Where a pipeline passes or is to pass through the areas of two or more local authorities the duties under this regulation may be discharged by them where they prepare a single plan.

Commencement

Pt III reg. 25(1)-(6): April 11, 1996

Extent

Pt III reg. 25(1)-(6): United Kingdom



Law In Force

26.— Charge by a local authority for a plan

(1) A local authority which prepares, reviews or revises a plan pursuant to paragraph (1) or (3) of regulation 25 may charge a fee, determined in accordance with paragraphs (2) to (4), to the operator of the pipeline to which the plan relates.

(2) A fee shall not exceed the sum of the costs reasonably incurred by the local authority in preparing, reviewing or revising the plan and, where the plan covers pipelines of which there are more than one operator, the fee charged to each operator shall not exceed the proportion of such sum attributable to the part or parts of the plan relating to his pipelines.

(3) In determining the fee no account shall be taken of costs other than the costs of discharging functions in relation to those parts of the plan which relate to the protection of health or safety of persons and which were costs incurred after the coming into force of these Regulations.

(4) The local authority may determine the cost of employing a graded officer for any period on work appropriate to his grade by reference to the average cost to it of employing officer of his grade for that period.


(5) When requiring payment the local authority shall send or give to the operator of the pipeline a detailed statement of the work done and costs incurred including the date of any visit to any place and the period to which the statement relates; and the fee, which shall be recoverable only as a civil debt, shall become payable one month after the statement has been sent or given.

Commencement

Pt III reg. 26(1)-(5): April 11, 1996

Extent

Pt III reg. 26(1)-(5): United Kingdom



Law In Force

27.— Transitional provision

(1) In the case of a pipeline, the construction of which is commenced within 6 months after the coming into force of these Regulations, it shall be sufficient compliance with regulation 20 if the particulars specified in Schedule 4 are notified to the Executive within 3 months after the coming into force of these Regulations.

(2) Subject to paragraph (3), in the case of a major accident hazard pipeline, the construction of which was commenced (and whether or not completed) before the coming into force of these Regulations the particulars specified in Schedule 4 (or, in the case of paragraphs 3, 4, 5, 6, and 8 particulars, where appropriate, of the actual route of the pipeline or of the riser, materials used, fluid conveyed, and the temperature and pressure, and maximum rate of flow of that fluid) shall be notified to the Executive within 6 months after such coming into force.

(3) Paragraph (2) shall not have effect where, pursuant to regulation 3(1) of the Notification of Installations Handling Hazardous Substances Regulations 1982, the particulars relating to that pipeline specified in Part II of Schedule 2 to those Regulations have been supplied before such coming into force.

(4) In the case of a pipeline, the design of which was completed before the coming into force of these Regulations, or within 12 months after such coming into force, regulation 23 shall have effect as if, for the words “before the design of a major accident hazard pipeline is completed” in paragraph (1) of that regulation there were substituted the words “within 12 months after the coming into force of these Regulations”.

(5) In the case of a pipeline which was first used before the coming into force of these Regulations it shall be sufficient compliance with the requirement in regulation 24(1) where the matters referred to therein are recorded within 6 months after the coming into force of these Regulations.

(6) Where a local authority receives a notification referred to in paragraph (1) of regulation 25 within 6 months after the coming into force of these Regulations, that regulation shall have effect in relation to the pipeline notified as if the reference in that paragraph to 9 months were a reference to 18 months.


Commencement

Pt III reg. 27(1)-(6): April 11, 1996

Extent

Pt III reg. 27(1)-(6): United Kingdom

PART IV**MISCELLANEOUS**



Law In Force

28.— Defence

(1) In any proceedings for an offence for a contravention of any of the provisions of these Regulations it shall, subject to paragraphs (2) and (3), be a defence for the person charged to prove—

- (a) that the commission of the offence was due to the act or default of another person not being one of his employees (hereinafter called “the other person”); and
- (b) that he took all reasonable precautions and exercised all due diligence to avoid the commission of the offence.

(2) The person charged shall not, without leave of the court, be entitled to rely on the defence in paragraph (1) unless, within a period ending seven clear days—

- (a) before the hearing to determine mode of trial, where the proceedings are in England or Wales; or
- (b) before the trial, where the proceedings are in Scotland,

he has served on the prosecutor a notice in writing giving such information identifying or assisting in the identification of the other person as was then in his possession.

(3) For the purpose of enabling the other person to be charged with and convicted of the offence by virtue of section 36 of the 1974 Act, a person who establishes a defence under this regulation shall nevertheless be treated for the purposes of that section as having committed the offence.

Commencement

Pt IV reg. 28(1)-(3): April 11, 1996

Extent

Pt IV reg. 28(1)-(3): United Kingdom



Law In Force

29.— Certificates of exemption

(1) Subject to paragraph (2) and to any of the provisions imposed by [the European Union]¹ in respect of the encouragement of improvements in the safety and health of workers at work, the Executive may, by a certificate in writing, exempt any person, pipeline or class of persons or pipelines from any requirement or prohibition imposed by these Regulations and any such exemption may be granted subject to conditions and with or without limit of time and may be revoked by a certificate in writing at any time.

(2) The Executive shall not grant any such exemption unless, having regard to the circumstances of the case and, in particular, to—

- (a) the conditions, if any, which it proposes to attach to the exemption; and
- (b) any other requirements imposed by or under any enactments which apply to the case,

it is satisfied that the health and safety of persons who are likely to be affected by the exemption will not be prejudiced in consequence of it.

Notes


¹ Words substituted by Treaty of Lisbon (Changes in Terminology) Order 2011/1043 Pt 2 art.4(1) (April 22, 2011)

Commencement

Pt IV reg. 29(1)-(2)(b): April 11, 1996

Extent

Pt IV reg. 29(1)-(2)(b): United Kingdom

 Law In Force

30. Repeal of provisions of the Pipe-lines Act 1962

Sections 20 to 26, 27 to 32 and 42 of the Pipe-lines Act 1962¹ are hereby repealed.

Notes


¹ Section 24 was repealed by S.I. 1974/1986; and section 26A was inserted by section 26 of the Petroleum Act 1987 (1987 c.12).

Commencement

Pt IV reg. 30: April 11, 1996

Extent

Pt IV reg. 30: United Kingdom

 Law In Force

31.— Revocation and modification of instruments

(1) The instruments specified in column 1 of Part I of Schedule 6 shall be revoked to the extent specified in column 3 of that Part.


(2) The Notification of Installations Handling Hazardous Substances Regulations 1982 (“the 1982 Regulations”) shall have effect subject to the modifications of those Regulations specified in Part II of Schedule 6.

Commencement

Pt IV reg. 31(1)-(2): April 11, 1996

Extent

Pt IV reg. 31(1)-(2): United Kingdom


 Law In Force

Signed by authority of the Secretary of State.

Paul Beresford
Parliamentary Under Secretary of State,

Department of the Environment.

18th March 1996


SCHEDULE 1**PIPELINES TO WHICH THESE REGULATIONS DO NOT APPLY****Regulation 4(2)** Law In Force**1.**

A pipeline for the conveyance of air, water vapour or steam.

Commencement

Sch. 1 para. 1: April 11, 1996

ExtentSch. 1 para. 1: United Kingdom


 Law In Force**2.**

A pipeline for the conveyance of water, other than for the purpose of injecting water into an underwater well or reservoir containing mineral resources.

Commencement

Sch. 1 para. 2: April 11, 1996

ExtentSch. 1 para. 2: United Kingdom

 Law In Force**3.**


A pipeline contained wholly within the premises occupied by a single undertaking.

Commencement

Sch. 1 para. 3: April 11, 1996

Extent

Sch. 1 para. 3: United Kingdom



Law In Force

4.


A pipeline which is contained wholly within land which constitutes a railway asset within the meaning of section 6(2) of the Railways Act 1993.

Commencement

Sch. 1 para. 4: April 11, 1996

Extent

Sch. 1 para. 4: United Kingdom



Law In Force

5.


A pipeline contained wholly within a caravan site.

Commencement

Sch. 1 para. 5: April 11, 1996

Extent

Sch. 1 para. 5: United Kingdom



Law In Force

6.

In this Schedule “caravan” and “caravan site” have the same meaning as they have in Part I of the Caravan Sites and Control of Development Act 1960¹.

Notes

¹ The meaning of “caravan” in Part I was modified by the Caravan Sites Act 1968 (c.52), section 13(1) and (2).


Commencement

Sch. 1 para. 6: April 11, 1996

Extent

Sch. 1 para. 6: United Kingdom

SCHEDULE 2**DESCRIPTIONS OF DANGEROUS FLUIDS****Regulations 18(2) and 27(3)**

 Law In Force

1.

A fluid which—


- (a) is flammable in air;
- (b) has a boiling point below 5°C, at 1 bar absolute; and
- (c) is or is to be conveyed in the pipeline as a liquid.

Commencement

Sch. 2 para. 1(a)-(c): April 11, 1996

Extent

Sch. 2 para. 1(a)-(c): United Kingdom

 Law In Force

2.


A fluid which is flammable in air and is or is to be conveyed in the pipeline as a gas at above 8 bar absolute.

Commencement

Sch. 2 para. 2: April 11, 1996

Extent

Sch. 2 para. 2: United Kingdom

 Law In Force

3.


A liquid which has a vapour pressure greater than 1.5 bar absolute when in equilibrium with its vapour at either the actual temperature of the liquid or at 20°C.

Commencement

Sch. 2 para. 3: April 11, 1996

Extent

Sch. 2 para. 3: United Kingdom

 Law In Force

4.

A toxic or very toxic fluid which—


- (a) is a gas at 20°C and 1 bar absolute; and
- (b) is, or is to be, conveyed as a liquid or a gas.

Commencement

Sch. 2 para. 4(a)-(b): April 11, 1996

Extent

Sch. 2 para. 4(a)-(b): United Kingdom

 Law In Force

5.

A toxic fluid which—


- (a) at 20°C has a saturated vapour pressure greater than 0.4 bar; and
- (b) is, or is to be, conveyed in the pipeline as a liquid.

Commencement

Sch. 2 para. 5(a)-(b): April 11, 1996

Extent

Sch. 2 para. 5(a)-(b): United Kingdom

 Law In Force

6.


Acrylonitrile.

Commencement

Sch. 2 para. 6: April 11, 1996

Extent

Sch. 2 para. 6: United Kingdom

 Law In Force

7.

A very toxic fluid which—

- (a) at 20°C has a saturated vapour pressure greater than 0.001 bar; or
- (b) is, or is to be, conveyed in the pipeline as a liquid at a pressure greater than 4.5 bar absolute.

Commencement

Sch. 2 para. 7(a)-(b): April 11, 1996

Extent

Sch. 2 para. 7(a)-(b): United Kingdom

 Law In Force

8.


An oxidising fluid which is, or is to be, conveyed as a liquid.

Commencement

Sch. 2 para. 8: April 11, 1996

Extent

Sch. 2 para. 8: United Kingdom

 Law In Force

9.


A fluid which reacts violently with water.

Commencement

Sch. 2 para. 9: April 11, 1996

Extent

Sch. 2 para. 9: United Kingdom



Law In Force

[10.—

(1) For the purposes of this Schedule—

(a) a liquid is oxidising if it meets the criteria set out in Annex I to the CLP Regulation (“the Annex”) for classification in either of the following hazard classes—

(i) oxidising liquids of category 1, 2 or 3; or

(ii) organic peroxides Types C to F;

(b) a fluid is toxic if it meets the criteria set out in the Annex for classification in either of the following hazard classes—

(i) acute toxicity category 3, or

(ii) specific target organ toxicity (repeated exposure) category 1; and

(c) a fluid is very toxic if it meets the criteria set out in the Annex for classification in either of the following hazard classes—

(i) acute toxicity category 1 or 2, or

(ii) specific target organ toxicity (single exposure) category 1.

(2) In this paragraph, “CLP Regulation” means Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No. 1907/2006, of which Articles 6(5), 11(3), 12, 14, 18(3)(b), 23, 25 to 29, 35(2) second and third sub-paragraphs and Annexes I to VII are to be read as amended from time to time.

] ¹

Notes

¹ Substituted by Classification, Labelling and Packaging of Chemicals (Amendments to Secondary Legislation) Regulations 2015/21 reg.4(2) (June 1, 2015)


Commencement

Sch. 2 para. 10(a)-(b): April 11, 1996

Extent

Sch. 2 para. 10(1)-(b): United Kingdom

SCHEDULE 3**REQUIREMENTS FOR EMERGENCY SHUT-DOWN VALVES ON CERTAIN MAJOR
ACCIDENT HAZARD PIPELINES CONNECTED TO OFFSHORE INSTALLATIONS****Regulation 19**

 Law In Force

1.

An emergency shut-down valve shall be incorporated in the riser of a pipeline—

- (a) in a position in which it can be safely inspected, maintained and tested; and
- (b) so far as this is consistent with sub-paragraph (a), as far down the riser as is reasonably practicable;

and such valve shall comply with the remaining paragraphs of this Schedule.

Commencement

Sch. 3 para. 1(a)-(b): April 11, 1996

Extent

Sch. 3 para. 1(a)-(b): United Kingdom

 Law In Force

2.


An emergency shut-down valve shall be held open by an electrical, hydraulic or other signal to the mechanism for actuating the valve on the failure of which signal the valve shall automatically close.

Commencement

Sch. 3 para. 2: April 11, 1996

Extent

Sch. 3 para. 2: United Kingdom

 Law In Force

3.

An emergency shut-down valve shall also be capable of being closed—

- (a) by a person positioned by it; and
- (b) automatically by the operation of the emergency shut-down system of the offshore installation to which the pipeline is connected,


or, while relevant work of examination or maintenance is being carried out, by one of those means.

Commencement

Sch. 3 para. 3(a)-(b): April 11, 1996

Extent

Sch. 3 para. 3(a)-(b): United Kingdom



Law In Force

4.


If the pipeline is designed to allow for the passage of equipment for inspecting, maintaining or testing the pipeline, the emergency shut-down valve shall also be designed to allow for such passage.

Commencement

Sch. 3 para. 4: April 11, 1996

Extent

Sch. 3 para. 4: United Kingdom



Law In Force

5.


An emergency shut-down valve and its actuating mechanism shall so far as is reasonably practicable be protected from damage arising from fire, explosion or impact.

Commencement

Sch. 3 para. 5: April 11, 1996

Extent

Sch. 3 para. 5: United Kingdom



Law In Force

6.


An emergency shut-down valve shall be maintained in an efficient state, in efficient working order and in good repair.

Commencement

Sch. 3 para. 6: April 11, 1996

Extent

Sch. 3 para. 6: United Kingdom

 Law In Force

7.


After an emergency shut-down valve has operated so as to block the flow of fluid within the pipeline it shall not be re-opened so as to permit the flow of fluid until steps have been taken to ensure that it is safe to do so.

Commencement

Sch. 3 para. 7: April 11, 1996

Extent

Sch. 3 para. 7: United Kingdom

 Law In Force

8.

In this Schedule “emergency shut-down system” means the system comprising mechanical, electrical, electronic, pneumatic, hydraulic or other arrangements by which the plant on an offshore installation is automatically shut down in the event of an emergency.

Commencement

Sch. 3 para. 8: April 11, 1996

Extent

Sch. 3 para. 8: United Kingdom

SCHEDULE 4

PARTICULARS TO BE INCLUDED IN NOTIFICATION RELATING TO CONSTRUCTION OF A MAJOR ACCIDENT HAZARD PIPELINE

Regulations 20 and 27(1) and (2)

✓ Law In Force

1.

The name and address of the operator of the pipeline.

Commencement

Sch. 4 para. 1: April 11, 1996

Extent

Sch. 4 para. 1: United Kingdom

✓ Law In Force

2.

The proposed route of the pipeline in the form of maps or drawings.

Commencement

Sch. 4 para. 2: April 11, 1996

Extent

Sch. 4 para. 2: United Kingdom

✓ Law In Force

3.

The proposed route of the riser on any offshore installation, in the form of drawings.

Commencement

Sch. 4 para. 3: April 11, 1996

Extent

Sch. 4 para. 3: United Kingdom

✓ Law In Force

4.


The length, diameter and wall thickness of the pipeline.

Commencement

Sch. 4 para. 4: April 11, 1996

Extent

Sch. 4 para. 4: United Kingdom



Law In Force

5.


The materials to be used in the construction of the pipeline.

Commencement

Sch. 4 para. 5: April 11, 1996

Extent

Sch. 4 para. 5: United Kingdom



Law In Force

6.


The fluid to be conveyed and such of its properties as are relevant to health and safety.

Commencement

Sch. 4 para. 6: April 11, 1996

Extent

Sch. 4 para. 6: United Kingdom



Law In Force

7.


The safe operating limits of the pipeline.

Commencement

Sch. 4 para. 7: April 11, 1996

Extent

Sch. 4 para. 7: United Kingdom

 Law In Force

8.

The intended temperature, pressure, and maximum rate of flow of the fluid to be conveyed.

Commencement

Sch. 4 para. 8: April 11, 1996


Extent

Sch. 4 para. 8: United Kingdom

SCHEDULE 5

**PARTICULARS TO BE NOTIFIED BEFORE CERTAIN EVENTS RELATING TO MAJOR
ACCIDENT HAZARD PIPELINES**

Regulation 22(2) and (3)

 Law In Force

1.


In relation to a change to the route or position of a pipeline, particulars in the form of maps or drawings of the new route or position.

Commencement

Sch. 5 para. 1: April 11, 1996

Extent

Sch. 5 para. 1: United Kingdom

 Law In Force

2.

In relation to a change to the safe operating limits of a pipeline, particulars of such change.

Commencement

Sch. 5 para. 2: April 11, 1996

Extent

Sch. 5 para. 2: United Kingdom

✓ Law In Force

3.

In relation to the start of major modification or major remedial work to the pipeline, particulars of such work.

Commencement

Sch. 5 para. 3: April 11, 1996

Extent

Sch. 5 para. 3: United Kingdom

✓ Law In Force

4.

In relation to the conveyance of a new fluid, particulars of—

- (a) such of its properties as are relevant to the health or safety of persons; and
- (b) the intended or (if, in a case to which regulation 22(3) applies, conveyance has started) actual temperature, pressure and maximum rate of flow in the pipeline.

Commencement

Sch. 5 para. 4(a)-(b): April 11, 1996

Extent

Sch. 5 para. 4(a)-(b): United Kingdom

✓ Law In Force

5.

In relation to the start of decommissioning or dismantlement of the pipeline, particulars of the steps to be taken or (if, in a case to which regulation 22(3) applies, decommissioning or dismantlement has started) taken in connection with such decommissioning or dismantlement.


Commencement

Sch. 5 para. 5: April 11, 1996

Extent

Sch. 5 para. 5: United Kingdom

SCHEDULE 6**Regulation 31****PART I****REVOCATION OF INSTRUMENTS**

 Law In Force

(1) <i>Title</i>	(2) <i>Reference</i>	(3) <i>Extent of revocation</i>
The Gas Safety Regulations 1972	S.I. 1972/1178	The whole Regulations.
The Gas (Metrication) Regulations 1980	S.I. 1980/1851	Regulation 3(1).
The Submarine Pipe-lines Safety Regulations 1982	S.I. 1982/1513	The whole Regulations except regulations 1(1) and 11.
The Submarine Pipe-lines Safety (Amendment) Regulations 1986	S.I. 1986/1985	The whole Regulations.
The Offshore Installations (Emergency Pipe-line Valve) Regulations 1989	S.I. 1989/1029	The whole Regulations.
The Submarine Pipe-lines (Inspectors and Safety) (Amendment) Regulations 1991	S.I. 1991/680	Regulation 3.

Commencement

Sch. 6(1) para. 1: April 11, 1996

Extent

Sch. 6(1) para. 1: United Kingdom

PART II

**MODIFICATION OF THE NOTIFICATION OF INSTALLATIONS HANDLING
HAZARDOUS SUBSTANCES REGULATIONS 1982**

 Repealed

1. [...]¹

Notes

- ¹ Revoked by Health and Safety (Miscellaneous Repeals, Revocations and Amendments) Regulations 2013/448 Sch.1 para.1 (April 6, 2013)
-

 Repealed

2. [...]¹

Notes

- ¹ Revoked by Health and Safety (Miscellaneous Repeals, Revocations and Amendments) Regulations 2013/448 Sch.1 para.1 (April 6, 2013)
-

 Repealed

3. [...]¹

Notes

- ¹ Revoked by Health and Safety (Miscellaneous Repeals, Revocations and Amendments) Regulations 2013/448 Sch.1 para.1 (April 6, 2013)
-

 Repealed

4. [...]¹

Notes

- ¹ Revoked by Health and Safety (Miscellaneous Repeals, Revocations and Amendments) Regulations 2013/448 Sch.1 para.1 (April 6, 2013)
-

 Repealed

5. [...]¹

Notes

- ¹ Revoked by Health and Safety (Miscellaneous Repeals, Revocations and Amendments) Regulations 2013/448 Sch.1 para.1 (April 6, 2013)
-

EXPLANATORY NOTE

(This note is not part of the Regulations)

1.

These Regulations contain requirements relating to pipelines, for purposes of health and safety.

2.

Save as indicated below, or in the case of regulation 19(2), the requirements in these Regulations are imposed on the “operator”, defined in regulation 2(1), which also contains other definitions.

3.

Regulation 3 and Schedule 1 define “pipeline” for the purposes of the Regulations.

4.

Regulation 4 provides for the application of the Regulations. In particular, paragraph (1) has the effect that they apply in Great Britain, and to pipelines and certain activities in territorial waters adjacent to Great Britain or in the United Kingdom sector of the continental shelf.

5.

The Regulations require—

- (a) that a pipeline be designed to withstand the expected strains and processes (regulation 5);
- (b) the provision of safety systems necessary for health and safety (regulation 6);
- (c) that a pipeline be so designed that it may be examined and maintained with safety (regulation 7);
- (d) that a pipeline be constructed of suitable materials (regulation 8);
- (e) that a pipeline be so constructed and installed that it is sound and fit for its purpose (regulation 9);
- (f) that work on a pipeline is carried out in such a way that its integrity will not be prejudiced (regulation 10);
- (g) that the safe operating limits of a pipeline be established and not exceeded, save for testing (regulation 11);
- (h) that adequate arrangements be made for dealing with incidents and emergencies involving a pipeline (regulation 12);
- (i) that a pipeline be maintained in good repair (regulation 13);
- (j) that a disused pipeline be left in a safe condition; and that work for that purpose be performed safely (regulation 14);
- (k) that no person cause such damage to a pipeline as may give rise to danger (regulation 15);
- (l) that reasonable steps be taken to draw attention to the presence of a pipeline (regulation 16); and

(m) that operators of different parts of a pipeline co-operate with each other so far as necessary to enable them to comply with these Regulations (regulation 17).

6.

In relation to a “major accident hazard pipeline” (defined by regulation 18 by reference to its conveying a dangerous fluid, a fluid described in Schedule 2), the Regulations contain requirements—

- (a) for an emergency shut-down valve, where it is connected to an offshore oil or gas installation (regulation 19 and Schedule 3);
- (b) for specified information to be notified to the Health and Safety Executive in specified circumstances (regulations 20 to 22 and Schedules 4 and 5);
- (c) to prepare, and follow arrangements and procedures described in, a document containing specified information (regulation 23);
- (d) to establish procedures to be followed in an emergency (regulation 24); and
- (e) for a local authority to prepare a plan to cope with an emergency from such pipeline in its area, and containing other provision, including provision for a local authority to charge reasonable fees for preparing, reviewing and revising the plan (regulations 25 and 26).

7.

The Regulations also—

- (a) contain transitional provision (regulation 27);
- (b) provide a defence for their contravention (regulation 28);
- (c) provide for the issue of certificates of exemption by the Health and Safety Executive (regulation 29); and
- (d) repeal certain provisions of the Pipe-Lines Act 1962, and revoke or modify certain instruments (regulations 30 and 31 and Schedule 6).

8.

A copy of the compliance cost assessment prepared in respect of these Regulations can be obtained from the Health and Safety Executive, Safety Policy Division Branch E, Room 224, Magdalen House, Trinity Road, Bootle, Merseyside L20 3QZ. A copy has been placed in the Library of each House of Parliament.

Modifications

Provision	Modification	Notes	Further Information
Pt III reg. 25(3)	Local Government (Structural Changes) (Transitional Arrangements) (No.2) Regulations 2008/2867, Pt 8 reg. 31(3)		

Table of Contents

Pipelines Safety Regulations 1996/825.....	<u>1</u>
Preamble	<u>1</u>
Part I INTRODUCTION.....	<u>1</u>
✓ reg. 1 Citation and commencement.....	<u>1</u>
✓ reg. 2 Interpretation.....	<u>2</u>
✓ reg. 3 Meaning of "pipeline".....	<u>3</u>
✓ reg. 4 Application.....	<u>4</u>
Part II GENERAL.....	<u>4</u>
✓ reg. 5 Design of a pipeline.....	<u>4</u>
✓ reg. 6 Safety systems.....	<u>5</u>
✓ reg. 7 Access for examination and maintenance.....	<u>5</u>
✓ reg. 8 Materials.....	<u>5</u>
✓ reg. 9 Construction and installation.....	<u>6</u>
✓ reg. 10 Work on a pipeline.....	<u>6</u>
✓ reg. 11 Operation of a pipeline.....	<u>6</u>
✓ reg. 12 Arrangements for incidents and emergencies.....	<u>7</u>
✓ reg. 13 Maintenance.....	<u>7</u>
✓ reg. 13A Iron pipelines.....	<u>7</u>
✓ reg. 14 Decommissioning.....	<u>8</u>
✓ reg. 15 Damage to pipeline.....	<u>9</u>
✓ reg. 16 Prevention of damage to pipelines.....	<u>9</u>
✓ reg. 17 Co-operation.....	<u>9</u>
Part III MAJOR ACCIDENT HAZARD PIPELINES.....	<u>10</u>
✓ reg. 18 Dangerous fluids.....	<u>10</u>
✓ reg. 19 Emergency shut-down valves.....	<u>10</u>
✓ reg. 20 Notification before construction.....	<u>11</u>
✓ reg. 21 Notification before use.....	<u>11</u>
✓ reg. 22 Notification in other cases.....	<u>11</u>
✓ reg. 23 Major accident prevention document.....	<u>12</u>
✓ reg. 24 Emergency procedures.....	<u>13</u>
✓ reg. 25 Emergency plans in case of major accidents.....	<u>13</u>
✓ reg. 26 Charge by a local authority for a plan.....	<u>14</u>
✓ reg. 27 Transitional provision.....	<u>14</u>
Part IV MISCELLANEOUS.....	<u>15</u>
✓ reg. 28 Defence.....	<u>15</u>
✓ reg. 29 Certificates of exemption.....	<u>16</u>
✓ reg. 30 Repeal of provisions of the Pipe-lines Act 1962.....	<u>17</u>
✓ reg. 31 Revocation and modification of instruments.....	<u>17</u>

✓ Signatures	<u>17</u>
Schedule 1 PIPELINES TO WHICH THESE REGULATIONS DO NOT APPLY.....	<u>18</u>
✓ para. 1	<u>18</u>
✓ para. 2	<u>18</u>
✓ para. 3	<u>18</u>
✓ para. 4	<u>19</u>
✓ para. 5	<u>19</u>
✓ para. 6	<u>19</u>
Schedule 2 DESCRIPTIONS OF DANGEROUS FLUIDS.....	<u>20</u>
✓ para. 1	<u>20</u>
✓ para. 2	<u>20</u>
✓ para. 3	<u>20</u>
✓ para. 4	<u>21</u>
✓ para. 5	<u>21</u>
✓ para. 6	<u>21</u>
✓ para. 7	<u>22</u>
✓ para. 8	<u>22</u>
✓ para. 9	<u>22</u>
✓ para. 10	<u>23</u>
Schedule 3 REQUIREMENTS FOR EMERGENCY SHUT-DOWN VALVES ON CERTAIN MAJOR ACCIDENT HAZARD PIPELINES CONNECTED TO OFFSHORE INSTALLATIONS.....	<u>23</u>
✓ para. 1	<u>24</u>
✓ para. 2	<u>24</u>
✓ para. 3	<u>24</u>
✓ para. 4	<u>25</u>
✓ para. 5	<u>25</u>
✓ para. 6	<u>25</u>
✓ para. 7	<u>26</u>
✓ para. 8	<u>26</u>
Schedule 4 PARTICULARS TO BE INCLUDED IN NOTIFICATION RELATING TO CONSTRUCTION OF A MAJOR ACCIDENT HAZARD PIPELINE.....	<u>26</u>
✓ para. 1	<u>26</u>
✓ para. 2	<u>27</u>
✓ para. 3	<u>27</u>
✓ para. 4	<u>27</u>
✓ para. 5	<u>28</u>
✓ para. 6	<u>28</u>
✓ para. 7	<u>28</u>
✓ para. 8	<u>28</u>

Schedule 5 PARTICULARS TO BE NOTIFIED BEFORE CERTAIN EVENTS RELATING TO MAJOR ACCIDENT HAZARD PIPELINES.....	<u>29</u>
✔ para. 1	<u>29</u>
✔ para. 2	<u>29</u>
✔ para. 3	<u>29</u>
✔ para. 4	<u>30</u>
✔ para. 5	<u>30</u>
Schedule 6	<u>30</u>
Part I REVOCATION OF INSTRUMENTS.....	<u>31</u>
✔ para. 1	<u>31</u>
Part II MODIFICATION OF THE NOTIFICATION OF INSTALLATIONS HANDLING HAZARDOUS SUBSTANCES REGULATIONS 1982.....	<u>31</u>
⊖ para. 1	<u>31</u>
⊖ para. 2	<u>32</u>
⊖ para. 3	<u>32</u>
⊖ para. 4	<u>32</u>
⊖ para. 5	<u>32</u>
Explanatory Note	<u>32</u>
para. 1	<u>33</u>
para. 2	<u>33</u>
para. 3	<u>33</u>
para. 4	<u>33</u>
para. 5	<u>33</u>
para. 6	<u>34</u>
para. 7	<u>34</u>
para. 8	<u>34</u>
Modifications.....	<u>35</u>
Table of Contents.....	<u>36</u>