



Regards

Tony Millichap  
Head of Technical  
Mobile [REDACTED]

---

**From:** Richard Bromwich  
**Sent:** 27 March 2015 10:03  
**To:** Mark Swift; Alistair Lambie; Ivor Meredith  
**Cc:** Tony Millichap  
**Subject:** RE: Rainscreen Products - NHBC

Gents

Where are we at with NHBC as this could be the tip of the iceberg?

Thanks  
Rich

---

**From:** Richard Bromwich  
**Sent:** 27 March 2015 10:02  
**To:** Mark Swift  
**Cc:** Paul Davies ([pauldavies@sigplc.com](mailto:pauldavies@sigplc.com)); Alistair Lambie; Ivor Meredith  
**Subject:** FW: Rainscreen Products - NHBC

Mark (Ali/Ivor)

Please see below which Paul has highlighted regarding NHBC position on K15 above 18m.  
Could you please make contact with Stuart Honeybell directly asap and support him with:

- a) A robust Kingspan position on how above 18m queries are handled
- b) Direct support where necessary on these enquiries and contractor visits/questions

Would suggest you meet with Stuart to discuss as well as he's one of many long term supporters of KIL.

Thanks  
Rich

---

**From:** Paul Davies [<mailto:pauldavies@sigplc.com>]  
**Sent:** 27 March 2015 09:56  
**To:** Richard Bromwich  
**Subject:** FW: Rainscreen Products - NHBC

Hi Rich  
FYI  
Regards  
Paul

**Paul Davies**  
Divisional Roofing Director  
SIG Distribution

T: [REDACTED] F: [REDACTED] M: [REDACTED]  
E: [pauldavies@sigplc.co.uk](mailto:pauldavies@sigplc.co.uk) W: [sigplc.co.uk](http://sigplc.co.uk)

<image001.gif>

---

**From:** Stuart Honeybell  
**Sent:** 26 March 2015 14:05  
**To:** Giles Martin; Dave Peterson; Paul Mitton; Wayne Smith; Paul Davies  
**Cc:** Richard Gay; Richard Springett; Chris Knapp; Craig Newman; David Henderson (SIG D); David Priestley; Jason Hemingway; Russell Paterson  
**Subject:** Rainscreen Products - NHBC

Good afternoon. Richard Gay has been called to various sites over the last couple of days for him to look at Rainscreen products. It would appear that NHBC are looking to refuse K15 / RS5000 being used over 18m and will not insure the building unless it is exactly the same build up / products used in the original test data. They will no longer accept a letter from Kingspan / others on different thickness and applications.

Both Celotex and Kingspan will advise by the end of the week regarding the approach to contractors and projects. There seems to be some confusion, ranging from its ok to it can never be used ! Once I have received the detail form the suppliers I will advise and let you know.

Dave/Giles – RG is more than happy to speak with any contractor's regarding the use of Rock or Glass in the meantime if needed.

Regards

**Stuart Honeybell**  
Regional Sales Director - East Region  
SIG Distribution South East  
Tel: [REDACTED] M: [REDACTED]  
Email: [stuarthoneybell@sigplc.co.uk](mailto:stuarthoneybell@sigplc.co.uk)  
Unit 41, Oriana Way, Nursling Industrial Estate, Nursling, Southampton, SO160YU  
<image002.png>

\*\*\*\*\*

Please only print out this email if absolutely necessary.

The contents of this e-mail and its attachments are confidential and may be subject to legal privilege. The contents may not be disclosed, copied or distributed without our consent. It is intended for the use of the addressee(s) only. If you are not the intended recipient you must delete this message immediately and advise the sender that you received it in error. The statements and opinions expressed in this message are those of the author and do not necessarily reflect those of the Company. The Company does not accept any responsibility for the author's views.

Whilst the Company takes every effort to ensure this message is virus free it can not guarantee that this is the case. It is the recipients responsibility to carry out such virus checks as it deems necessary.

Registered Address: SIG Trading Ltd, Hillsborough Works, Langsett Road,  
Sheffield. S6 2LW  
Registered in England, Number 01451007

Registered Address: SIG PLC, Hillsborough Works, Langsett Road, Sheffield. S6  
2LW  
Registered in England, Number 00998314