

From: Joel Clarke <joel.clarke@kingspan exchange.com>
Sent: Tuesday, February 3, 2015 1:39 PM
To: Adam Heath <adam.heath@kingspan.com>
Subject: FW: S2/53373 PS7 Kooltherm K 15 Rainscreen Insulation Board
Attach: S253373ps7.pdf; BBA PDF Guidance.pdf

FOUND IT!!!! GET IN!!!!

See below/attached. I'll drop the draft into the K15 product file in 'Projects – Certification – BBA etc.' so it can be found again.

Regards,

Joel Clarke
INNOVATION DEVELOPMENT SYSTEM COORDINATOR

direct tel: [REDACTED]
mobile: [REDACTED]

From: Joel Clarke
Sent: 25 November 2014 13:00
To: Ivor Meredith
Subject: FW: S2/53373 PS7 Kooltherm K 15 Rainscreen Insulation Board

As part of the combo cert project for Kooltherm, K15 is being reissued. I note that they have inserted a new sentence at 8.3:

8.3 The product incorporated in the construction defined in section 8.2 can be used in buildings with a floor more than 18 m above ground level. Fire breaks should be used at every floor level after the first floor. The product's use in other constructions is limited to 18 m in height.

This is the old version:

8.3 The product incorporated in the construction defined in section 8.2 can be used in buildings with a floor more than 18 m above ground level. Fire breaks should be used at every floor level after the first floor.

Note that the phrase 'The product's use in other constructions is limited to 18m in height.'

Sly little f*ckers.

From: Mandy Osman [<mailto:mosman@bba.star.co.uk>]
Sent: 25 November 2014 12:11
To: Joel Clarke
Subject: S2/53373 PS7 Kooltherm K 15 Rainscreen Insulation Board

Dear Mr Clarke

Ref: S2/53373 Cert: 14/5134 PS 7
Certificate Title: *Kooltherm K 15 Rainscreen Insulation Board*

Please find attached a copy of the proposed Certificate for the above product. We would appreciate your written approval of this draft within two weeks. Also, please could you confirm that the company name, address contact numbers, e-mail and website shown are correct.

This draft Certificate has been produced as an editable PDF for you to submit your comments. Any required amendments should be listed by email or marked up on the draft using annotation tools provided in Adobe Acrobat. If required, you can download the latest version of Acrobat using this link <https://get.adobe.com/uk/reader/>. Guidance on how to use PDF annotation is also attached to this email.

Please be aware that this is your only opportunity to comment on technical content regarding this draft Certificate. Substantial technical comments received after this stage will incur a minimum charge of £450. Additional technical assessment not included in the initial contract will be subject to a 'Contract Variation' and charged according to the amount of work involved.

If you wish to discuss the Certificate, please contact James Tidy on [REDACTED]

Full details of all current BBA Certificates can be found on our website, www.bbacerts.co.uk

Yours sincerely

Mandy Osman
Publishing Administrator
British Board of Agrément
Bucknalls Lane, Watford, Herts WD25 9BA *
United Kingdom
Tel [REDACTED]

www.bbacerts.co.uk



* If you are visiting the BBA and use a satellite navigation system, use WD25 9NH rather than our standard postcode.



Please consider the environment before printing.