

Message

From: GOODALL, THOMAS [/O=LONDON FIRE AND CIVIL DEFENCE AUTHORITY/OU=BRIGADE HQ/CN=RECIPIENTS/CN=GOODALL]
Sent: 25/04/2013 13:28:46
To: KNIGHTON, JAMES (AC) [james.knighton@london-fire.gov.uk]
CC: PORTER, ANDREW [ANDREW.PORTER@london-fire.gov.uk]; COWUP, PETER [peter.cowup@london-fire.gov.uk]; MORTON, PHILIP [PHILIP.MORTON@london-fire.gov.uk]
Subject: Gap analysis for Rule 43 and review of PN 800

Dear Sir,

As requested attached is a series of recommendations discussed this morning. I have not included reference to the following but these items can be added if required:

- a) Quality assuring the existing data to ensure that current ORD record are up to date, accurate and fit for purpose.
- b) Greater emphasis on departments other than OPR to enter data on to the ORD, such as Fire Safety.
- c) Review of MDT function and usability.
- d) Consideration of radical approach to use of station personnel. For example inspections being carried out by crews from stations with lower numbers of outside visits on stations grounds with high levels of outside visits.

Regards

Tom Goodall

Station Manager
London Fire Brigade
Operational Tactics
169 Union Street
Southwark SE1 0LL

Tel: [REDACTED] Ext: [REDACTED]
Mobile: [REDACTED]
Email: thomas.goodall@london-fire.gov.uk
Pager: [REDACTED]

P Please consider the environment before printing this e-mail