
From: Steve Blake
Sent: 12 March 2014 09:38
To: Katie Bachellier
Subject: RE: Grenfell
Attachments: finalrydongroup.jpg; Maintenance_Sig_May13.jpg; linkedin-logo25.png; facebook_icon_25.bmp; twitter_icon_25.bmp; youtube_icon_25.bmp

Katie,

Thinking about this - Frank was asked to take out some performance which from memory was about 200k.

We can run through later.

Stephen Blake
Refurbishment Director

T
D
M 

From: Katie Bachellier
Sent: 11 March 2014 12:42
To: Steve Blake
Subject: RE: Grenfell

Yes the bill figure is incorrect resulting in our tender figure being £212k lower than it should be. I think we will recover this from Harleys by taking the timber window reveals out of their package but that will mean we have to work a little bit harder of finding some significant VE savings.

Katie Bachellier, BA (Hons)
Senior Estimator

T
D 

From: Steve Blake
Sent: 11 March 2014 12:39
To: Katie Bachellier
Subject: Re: Grenfell

Disappointing but not unexpected.

Hopefully there will be something to compensate.

The TAS must be wrong.

When we complete the value engineering exercise we will reissue accordingly.

Let's see where we go.

This e-mail (including any attachments) is transmitted subject to Rydon Group e-mail terms as published on its

website. If you have received this e-mail in error please e-mail the sender by replying to this message. Details of the Company registration numbers and registered offices to which this e-mail relates are also published at : http://www.rydon.co.uk/rydongroup/assets/html/legal_information.html.

From: Katie Bachellier
To: Steve Blake
Sent: Tue Mar 11 12:02:26 2014
Subject: Grenfell

Steve,

Just to let you know I have found the 'Frank-ism' in Grenfell. He hasn't added the provisional sums (£212k) to our cost.

Katie Bachellier, BA (Hons)
Senior Estimator

T [REDACTED]
D [REDACTED]

Rydon Maintenance Ltd
Rydon House, Station Road, Forest Row, East Sussex, RH18 5DW.



This e-mail (including any attachments) is transmitted subject to Rydon Group e-mail terms as published on its [website](#). If you have received this e-mail in error please e-mail the sender by replying to this message. Details of the Company registration numbers and registered offices to which this e-mail relates are also published on its [website](#).

Please consider the environment before printing this email.