

From: Ken Beaumont [REDACTED]
Sent: 05/10/2015 13:50:27
To: Anthony Cheney [acheney@kctmo.org.uk]; Anthony Cheney ["/O=KC TMO/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=Acheney"]
CC: Bourke, Richard BIS [Richard.Bourke@elagroup.co.uk]
Subject: Re: Grenfell lift
Attachments: image001.jpg

The alarm does not take the lift to the ground floor but the car and landing calls will take the lift down.

Ken

On 5 Oct 2015, at 14:04, Anthony Cheney <acheney@kctmo.org.uk> wrote:

Also

IS it possible to change this if needed.

Anthony Cheney
Contracts Manager, Assets & Regeneration
t [REDACTED]

w: www.kctmo.org.uk

a: The Network Hub, 292a Kensal Road, London, W10 5BE
P Before printing, please think about the environment

Any advise on this please ?

Anthony Cheney

t: [REDACTED]

<image001.jpg>

w: www.kctmo.org.uk

a: The Network Hub, 292a Kensal Road, London, W10 5BE

P Before printing, please think about the environment

From: Anthony Cheney

Sent: 11 September 2015 14:14

To: 'Bourke, Richard BIS'

Subject: RE: Grenfell lift

How was your time off ?

Anthony Cheney

Contracts Manager, Assets & Regeneration

t: [REDACTED]

<image001.jpg>

w: www.kctmo.org.uk

a: The Network Hub, 292a Kensal Road, London, W10 5BE

P Before printing, please think about the environment

From: Bourke, Richard BIS [mailto:Richard.Bourke@elagroup.co.uk]

Sent: 11 September 2015 14:13

To: Anthony Cheney; 'Ken

Subject: RE: Grenfell lift

Anthony

The lift alarm will not normally initiate a return to ground facility

Ken

Please can you check this site and provide Anthony with answer?

Kind Regards

Richard Bourke

Housing Director

w: www.kctmo.org.uk
a: The Network Hub, 292a Kensal Road, London, W10 5BE
P Before printing, please think about the environment

From: Claire Williams
Sent: 11 September 2015 09:34
To: Anthony Cheney
Subject: FW: Grenfell lift

Anthony

I have bounced this back to Rydon, asking to make sure under H&S/CDM this works – as clearly there is a problem if residents get stuck at gf within their cordoned off area!

Can you talk to Alex re the status of the alarms with Chubb?

Ta

Claire Williams
Project Manager

<image001.jpg>

t:

m

a: The Network Hub, 292a Kensal Road, London, W10 5BE
P Before printing, please think about the environment

From: Simon Lawrence [mailto:slawrence@rydon.co.uk]
Sent: 10 September 2015 17:55
To: Claire Williams; Steve Blake
Cc: neil reed (neil.reed@uk.arteliagroup.com); MALCOLM Andrew (andrew.malcolm@uk.arteliagroup.com)
Subject: Re: Grenfell lift

Claire,

I've had a chat with Jason and apparently I was wrong. During early fire brigade meetings with Simon O we were told that the lifts have to be brought down to ground in case of emergency. Which what they still do.

On the phone you said that there was a fire alarm which brought the lifts down to ground. I can't understand how that is possible because you do not have any audible fire alarms in the communal areas. In addition to this I don't believe that the existing panel by the walkway entrance door is working anyway. So I'm not sure what has

happened.

Do you have anymore information? Is it possible that the lift alarm button was pressed by the resident in error which brought the lift down?

Regards

Simon Lawrence ACIOB, MinstLM
Contracts Manager
Rydon Maintenance Ltd
Mobile no. [REDACTED]

----- Original message -----

From: Claire Williams <clwilliams@kctmo.org.uk>

Date: 10/09/2015 17:09 (GMT+00:00)

To: Simon Lawrence <slawrence@rydon.co.uk>, Steve Blake <SBlake@rydon.co.uk>

Cc: "neil reed (neil.reed@uk.arteliagroup.com)" <neil.reed@uk.arteliagroup.com>, "MALCOLM Andrew (andrew.malcolm@uk.arteliagroup.com)" <andrew.malcolm@uk.arteliagroup.com>

Subject: Grenfell lift

Simon

Further to our telecon of today, can you please confirm that your contractors have adjusted the current 2 lifts to both stop at 'walkway'/level 2 (rather than the ground/street level) in case of fire.

Thanks

Claire Williams

Project Manager
<image001.jpg>

t: [REDACTED]
m: [REDACTED]

a: The Network Hub, 292a Kensal Road, London, W10 5BE

P Before printing, please think about the environment

This e-mail message has been scanned for Viruses and Content and cleared by MailMarshal

TMO00859277/5
TMO00859277/5

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This message may contain confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This e-mail message has been scanned for Viruses and Content and cleared by MailMarshal

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This message may contain confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Kensington & Chelsea TMO Ltd Finally, the recipient should check this email and any attachments for the presence of viruses. Kensington & Chelsea TMO Ltd accepts no liability for any damage caused by any Virus transmitted by this email.

This e-mail message has been scanned for Viruses and Content and cleared by MailMarshal

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This

information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

those of Kensington & Chelsea TMO Ltd Finally, the recipient should check this email and any attachments for the presence of viruses. Kensington & Chelsea TMO Ltd accepts no liability for any damage caused by any Virus transmitted by this email.