

Robin Cahalarn

From: Janice Wray
Sent: 13 September 2005 11:16
To: Sarah Everson; 'Steve Ellis'
Cc: Damian Donnelly; Dave Steppel; Roger Green; Robin Cahalarn
Subject: FW: Grenfell Tower Lift Refurbishment

Sarah / Steve

at the recent contract meeting it was agreed that we should obtain costings for installing a lift recall feature whereby the lifts return to ground level when the fire alarm is activated. My colleague Roger Green has kindly provided a costing for the work his fire alarm engineers would need to do and so we now require a costing from Apex for their work to facilitate this. I would be grateful if you could arrange this and also if you could advise if these costs could be met within the project budget

Please advise

thanks

Janice Wray
TMO Health & Safety Adviser

From: Roger Green
Sent: 12 September 2005 11:49
To: Janice Wray
Cc: Robin Cahalarn
Subject: RE: Grenfell Tower Lift Refurbishment

Janice
Finally with Holidays out the way etc I have finally got a quote from SE .
The cost is £722 to supply cable(cable to be run in by lift engineers in lift shaft from ground floor to lift motor room this cost to be agreed etc by others?) and fit two heavy duty relays and commission with Lift engineers .

Who s budget is my small amount coming off ?
Do you want me to proceed and liase with Lift consultant/ contractors / Robin ?

regards Roger

From: Janice Wray
Sent: 19 August 2005 11:17
To: Roger Green; Adrian Bowman
Subject: FW: Grenfell Tower Lift Refurbishment

Roger

further to my voicemail just now I would be grateful if you could ask South Eastern to give us a quotation for the work necessary to install the lift recall feature on the new lifts at Grenfell Tower as per the e-mails below.

Many Thanks

Janice

From: Janice Wray
Sent: 13 July 2005 15:24

13/09/2005

To: Adrian Bowman
Subject: FW: Grenfell Tower Lift Refurbishment

response from grenfell lift contract administrator

J

From: Butler & Young Lift Consultants Ltd [mailto:liftconserv@btinternet.com]
Sent: 13 July 2005 14:25
To: Janice Wray
Subject: Re: Grenfell Tower Lift Refurbishment

Janice,

No provision has been made for fire alarm recall, albeit all modern microprocessor controllers incorporate the capacity to do so if required.

What comprises the common parts fire alarm system? Our records indicate nothing in the machine room. If FA recall is required the FA contractor would need to provide a set of volt free contacts in the lift machine room.

The lifts do incorporate Fireman's control, manually operated.

On my next visit tomorrow I will check again what FA equipment is located in or near the machine room.

Regards

Steve Ellis

----- Original Message -----

From: Janice Wray
To: liftconserv@btinternet.com
Sent: Wednesday, July 13, 2005 11:33 AM
Subject: Grenfell Tower Lift Refurbishment

For Attention of Steve Ellis

Steve

I'm sure I should know the answer to this but my colleague has asked if the new lifts at Grenfell Tower return to the ground level in the event of the fire alarm being activated. Could you please advise

Many Thanks

Janice

This e-mail and all attachments is CONFIDENTIAL. If received in error, please DELETE it from your system and do not use or disclose the content.

It may contain personal views which are not the views of the TMO unless stated.
Content filters and virus scans have been run against this message.

13/09/2005

TMO00863276/2

TMO00863276 0002