

---

**From:** Janice Wray  
**Sent:** 25 May 2017 16:10  
**To:** 'rhylton@kctmo.org.uk'  
**Subject:** RE: FRA's  
**Attachments:** image001.jpg

Hi Raymond

Have had a quick look at the views provided and agree it would be helpful to discuss.

It is surprising to find that Graham Fieldhouse believes the Whitchurch FRA is not suitable and sufficient as the LFB Inspecting Team have just been thro it with a fine tooth comb and are happy

I am on Leave on Tuesday but around the other days next week - let me know when you are available

Regards

Janice


**Janice Wray**  
**TMO Health, Safety & Facilities Manager**

**t:** 



**w:** [www.kctmo.org.uk](http://www.kctmo.org.uk)

**a:** 292a Kensal Road, London, W10 5BE.

 Before printing, please think about the environment

---

**From:** Raymond Hylton  
**Sent:** 19 May 2017 11:34  
**To:** Janice Wray  
**Subject:** FW: FRA's

Hi Janice


Attached are comments following a review of the two FRA's.

Happy to discuss.

Regards

**Raymond Hylton**


## Contracts Manager



**w:** [www.kctmo.org.uk](http://www.kctmo.org.uk)

**a:** Unit A, Network Hub, 292 Kensal Road, London W10 5BE

**t:** [REDACTED] **m:** [REDACTED]

 Before printing, please think about the environment

---

**From:** Janice Wray

**Sent:** 10 May 2017 09:32

**To:** Raymond Hylton <[rhylton@kctmo.org.uk](mailto:rhylton@kctmo.org.uk)>

**Subject:**

Hi Raymond

Here are 2 of the most recent we have received – let me know if you require more

Janice

**Janice Wray**


**TMO Health, Safety & Facilities Manager**

**t:** [REDACTED]



**w:** [www.kctmo.org.uk](http://www.kctmo.org.uk)

**a:** 292a Kensal Road, London, W10 5BE.

 Before printing, please think about the environment