



DB32 Fire Appliance	8.680m
Overall Length	8.680m
Overall Width	3.445m
Overall Body Height	3.445m
Min Body Ground Clearance	1.327m
Max Track Width	1.327m
Lock to Lock Time	7.00 sec
Kerb to Kerb Turning Radius	7.910m

- NOTES
1. THIS DRAWING IS COPYRIGHT © STUDIO E A.P.
 2. THE CONTRACTOR MUST NOT SCALE FROM THIS DRAWING FOR DIMENSIONS TO BE TAKEN FROM ANY OTHER DRAWING.
 3. THERE ARE ANY OBSTRUCTIONS TO THE ROUTE OF THE ESCAPE ROUTE MUST BE REPORTED TO THE ATTENDING FIRE OFFICER FOR RE-EVALUATION.
 4. THERE ARE OBSTRUCTIONS TO THE ROUTE OF THE ESCAPE ROUTE MUST BE REPORTED TO THE ATTENDING FIRE OFFICER FOR RE-EVALUATION.

- KEY
- 30 minute rated construction line
 - 60 minute rated construction line
 - 120 minute rated construction line
 - Final Exit
 - Escape route in one direction
 - Escape route in multiple directions
 - 1hr Fire Curtain
 - DR Dry Riser
 - 32 Room Occupancy
 - AOV vented lobby
 - Mech vented lobby (reused ducts)
 - Mech vented lobby (existing ducts extended down)

06	11/01/18	Scheme Updated
05	23/02/15	Scheme Updated
04	13/04/15	Scheme Updated
03	10/11/14	Status Area Connected
02	10/11/14	Scheme Update
01	24/07/14	Scheme Update



AS BUILT

STUDIO E ARCHITECTS LTD

270 Little Venice, W2 1HU London United Kingdom

GRENFELL TOWER
REGENERATION PROJECT

FIRE ACCESS PLAN

UNIFORM	1:100@A1	24/10/13	DATE
1279 (DR)100	06	BS	BS
REF. CL.	REF. CL.	REF. CL.	REF. CL.

TMOM00000077/1
TMOM00000077/1