

To: Dolan, Matthew[Matthew.Dolan@triio.co.uk]
From: Johnson, Stephen
Sent: Thur 23/03/2017 11:48:13 AM
Importance: Normal
Subject: FW: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter
Received: Thur 23/03/2017 11:48:15 AM

Matt

As below, Grenfell seems to be growing arms and legs, I am dealing with Mary and will be phoning her shortly.

They are requesting Director level NG attendance tomorrow.

Regards

Stephen Johnson
Design Manager

tRIIO®
Office: Uxbridge Road

Slough

Berkshire

SL2 5NA
Mobile: [REDACTED]



tRIIO® is a joint venture partnership between Morrison Utility Services and Skanska Construction UK.
A gas distribution strategic partner.

The information contained in this message is likely to be confidential and may be legally privileged. It is intended solely for the use of the individual or entity to which it is addressed. If you have received this message by mistake, please let us know immediately by replying to this email and then delete all copies of the email from your system. If you are not the intended recipient you must not disclose, distribute, copy, print or rely on this email.

Whilst we have taken reasonable precautions to ensure that this email and any attachments have been checked for viruses we cannot guarantee that they are virus free and we cannot accept liability for any damage sustained as a result of software viruses. We would advise that you carry out your own virus checks especially before opening an attachment.

tRIIO® cannot accept any responsibility for the accuracy or completeness of this email and unless otherwise expressly stated does not authorise any contract to be made by email. tRIIO® may recall, delete and monitor all outgoing and incoming emails.

Morrison Utility Services Limited
Registered Office: Morrison House, Primett Road, Stevenage, Herts, SG1 3EE
Registered in England. Company Number 4530602

Skanska Construction UK Limited
Registered Office: Maple Cross House, Denham Way, Maple Cross, Rickmansworth, Herts, WD3 9SW
Registered in England. Company Number 191408

Please consider the environment before printing this email.

From: Ryan, Mary X [mailto:Mary.Ryan@nationalgrid.com]
Sent: 23 March 2017 11:34
To: Johnson, Stephen
Subject: Fwd: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter

Sent from my iPhone

To: Dolan, Matthew[Matthew.Dolan@triio.co.uk]
From: Johnson, Stephen
Sent: Thur 23/03/2017 11:48:13 AM
Importance: Normal
Subject: FW: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter
Received: Thur 23/03/2017 11:48:15 AM

Matt

As below, Grenfell seems to be growing arms and legs, I am dealing with Mary and will be phoning her shortly.

They are requesting Director level NG attendance tomorrow.

Regards

Stephen Johnson
Design Manager

tRIIO®
Office: Uxbridge Road

Slough

Berkshire

SL2 5NA
Mobile: [REDACTED]



tRIIO® is a joint venture partnership between Morrison Utility Services and Skanska Construction UK.
A gas distribution strategic partner.

The information contained in this message is likely to be confidential and may be legally privileged. It is intended solely for the use of the individual or entity to which it is addressed. If you have received this message by mistake, please let us know immediately by replying to this email and then delete all copies of the email from your system. If you are not the intended recipient you must not disclose, distribute, copy, print or rely on this email.

Whilst we have taken reasonable precautions to ensure that this email and any attachments have been checked for viruses we cannot guarantee that they are virus free and we cannot accept liability for any damage sustained as a result of software viruses. We would advise that you carry out your own virus checks especially before opening an attachment.

tRIIO® cannot accept any responsibility for the accuracy or completeness of this email and unless otherwise expressly stated does not authorise any contract to be made by email. tRIIO® may recall, delete and monitor all outgoing and incoming emails.

Morrison Utility Services Limited
Registered Office: Morrison House, Primett Road, Stevenage, Herts, SG1 3EE
Registered in England. Company Number 4530602

Skanska Construction UK Limited
Registered Office: Maple Cross House, Denham Way, Maple Cross, Rickmansworth, Herts, WD3 9SW
Registered in England. Company Number 191408

Please consider the environment before printing this email.

From: Ryan, Mary X [mailto:Mary.Ryan@nationalgrid.com]
Sent: 23 March 2017 11:34
To: Johnson, Stephen
Subject: Fwd: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter

Sent from my iPhone

Begin forwarded message:

From: ".box.customer.escalations" <customerescalations@nationalgrid.com>
Date: 23 March 2017 at 11:22:16 GMT
To: "Ryan, Mary X" <Mary.Ryan@nationalgrid.com>
Cc: "Garrard, Peter" <Peter.Garrard@nationalgrid.com>
Subject: FW: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter

And further correspondence

Craig Wilmot
Escalated Complaints Supervisor

Customer Care Team
Business Services
National Grid Gas Distribution Limited
t. [REDACTED]

m. [REDACTED]

e. Craig.wilmot@nationalgrid.com

From: Anthony Cheney [<mailto:acheney@kctmo.org.uk>]
Sent: 23 March 2017 10:58
To: 'Loveday, Martin'
Cc: .box.customer.escalations; 'cerianne.talbot@triio.co.uk'; 'Hasan, Alpaslan'
Subject: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter
Importance: High

Martin

I am again chasing you for responses which is totally unacceptable.

Please can this escalation email provide me with the contact number and email of the most senior director at National Grid who will be able to deal with these matters

The TMO is now having request from both residents and counsellors to investigate the install at Grenfell tower as they deem it unsafe.


They are requesting HSE, LFB and independent assessments and will not pursuing the TMO in this regard.

I expect a full response and expect someone will meet me on site tomorrow of director level

I look forward to contact ASAP today

Anthony Cheney
Head of Contract Management (Interim), Assets & Regeneration
t: [REDACTED]

<image001.jpg>
w: www.kctmo.org.uk
a: The Network Hub, 292a Kensal Road, London, W10 5BE

 Before printing, please think about the environment

Begin forwarded message:

From: ".box.customer.escalations" <customerescalations@nationalgrid.com>
Date: 23 March 2017 at 11:22:16 GMT
To: "Ryan, Mary X" <Mary.Ryan@nationalgrid.com>
Cc: "Garrard, Peter" <Peter.Garrard@nationalgrid.com>
Subject: FW: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter

And further correspondence

Craig Wilmot
Escalated Complaints Supervisor

Customer Care Team
Business Services
National Grid Gas Distribution Limited
t. [REDACTED]

m. [REDACTED]

e. Craig.wilmot@nationalgrid.com

From: Anthony Cheney [<mailto:acheney@kctmo.org.uk>]
Sent: 23 March 2017 10:58
To: 'Loveday, Martin'
Cc: .box.customer.escalations; 'cerianne.talbot@triio.co.uk'; 'Hasan, Alpaslan'
Subject: EXT || RE: Independent Health and safety inspector for Grenfell Tower URGENT H&S matter
Importance: High

Martin

I am again chasing you for responses which is totally unacceptable.

Please can this escalation email provide me with the contact number and email of the most senior director at National Grid who will be able to deal with these matters

The TMO is now having request from both residents and counsellors to investigate the install at Grenfell tower as they deem it unsafe.


They are requesting HSE, LFB and independent assessments and will not pursuing the TMO in this regard.

I expect a full response and expect someone will meet me on site tomorrow of director level

I look forward to contact ASAP today

Anthony Cheney
Head of Contract Management (Interim), Assets & Regeneration
t: [REDACTED]

<image001.jpg>
w: www.kctmo.org.uk
a: The Network Hub, 292a Kensal Road, London, W10 5BE

 Before printing, please think about the environment

From:Anthony Cheney
Sent: 22 March 2017 16:35
To: 'Loveday, Martin' <Martin.Loveday@trio.co.uk>
Cc: 'customerescalations@nationalgrid.com' <customerescalations@nationalgrid.com>
Subject: FW: Independent Health and safety inspector for Grenfell Tower
Importance: High

Martin

Can you please escalate Grenfell Tower within your organisation and arrange a response to the below and my other current emails ASAP.


It would be prudent that someone senior from National Grid come and meet with the TMO to explain your position as NG will be asked a number of questions in relation to this project from any number of regulatory and inspection bodies.

Please can you respond today

Thanks

Anthony Cheney
Head of Contract Management (Interim), Assets & Regeneration
t: [REDACTED]

<image001.jpg>
w: www.kctmo.org.uk
a: The Network Hub, 292a Kensal Road, London, W10 5BE

 Before printing, please think about the environment

From:Janice Wray
Sent: 22 March 2017 16:32
To: Anthony Cheney <acheney@kctmo.org.uk>; Charlie Saul <csaul@kctmo.org.uk>
Subject: FW: Independent Health and safety inspector for Grenfell Tower
Importance: High

Hi Anthony & Charlie

More pressure on this one – have we had a response from NG on the fire-rated boxing-in of the riser in the stairwell yet? Can we chase please

Please advise

Thanks

Janice

Janice Wray
TMO Health, Safety & Facilities Manager
t: [REDACTED]
<image001.jpg>
w: www.kctmo.org.uk

From:Anthony Cheney
Sent: 22 March 2017 16:35
To: 'Loveday, Martin' <Martin.Loveday@trio.co.uk>
Cc: 'customerescalations@nationalgrid.com' <customerescalations@nationalgrid.com>
Subject: FW: Independent Health and safety inspector for Grenfell Tower
Importance: High

Martin

Can you please escalate Grenfell Tower within your organisation and arrange a response to the below and my other current emails ASAP.


It would be prudent that someone senior from National Grid come and meet with the TMO to explain your position as NG will be asked a number of questions in relation to this project from any number of regulatory and inspection bodies.

Please can you respond today

Thanks

Anthony Cheney
Head of Contract Management (Interim), Assets & Regeneration
t: [REDACTED]

<image001.jpg>
w: www.kctmo.org.uk
a: The Network Hub, 292a Kensal Road, London, W10 5BE

 Before printing, please think about the environment

From:Janice Wray
Sent: 22 March 2017 16:32
To: Anthony Cheney <acheney@kctmo.org.uk>; Charlie Saul <csaul@kctmo.org.uk>
Subject: FW: Independent Health and safety inspector for Grenfell Tower
Importance: High

Hi Anthony & Charlie

More pressure on this one – have we had a response from NG on the fire-rated boxing-in of the riser in the stairwell yet? Can we chase please


Please advise

Thanks

Janice

Janice Wray
TMO Health, Safety & Facilities Manager
t: [REDACTED]
<image001.jpg>
w: www.kctmo.org.uk

a: 292a Kensal Road, London, W10 5BE.

 Before printing, please think about the environment

From: Robert Black

Sent: 22 March 2017 16:29

To: Sacha Jevans <sjevans@kctmo.org.uk>; Janice Wray <jwray@kctmo.org.uk>; Yvonne Birch <ybirch@kctmo.org.uk>; Finance Director Barbara Mathews <[REDACTED]>; Gill Petford <gpetford@kctmo.org.uk>

Subject: Fwd: Independent Health and safety inspector for Grenfell Tower

Dear team

Please review and maybe we can pick up tomorrow

Robert

Sent from my Samsung device

----- Original message -----

From: Judith Blakeman <[REDACTED]>

Date: 22/03/2017 14:35 (GMT+00:00)

To: Laura.Johnson@rbkc.gov.uk, Robert Black <rblack@kctmo.org.uk>

Cc: cllr.atkinson@rbkc.gov.uk, cllr.lasharie@rbkc.gov.uk, [REDACTED]

[REDACTED] 'Miguel Manuel Ferreira Alves'

[REDACTED] 'Shanti Patel' <[REDACTED]>, maria.memoli@localgovernance.co.uk, 'Nick Burton' <[REDACTED]>, Nicola Bartholomew <nbartholomew@kctmo.org.uk>, Millicent Williams <mwilliams@kctmo.org.uk>, 'Eddie daffarn' <[REDACTED]>, lancwestra@gmail.com, 'Grenfell Tower Leaseholder's Association' <GrenfellLeaseholdersAssociation@hotmail.co.uk>

Subject: RE: Independent Health and safety inspector for Grenfell Tower


Dear Ms Johnson and Mr Black

Please find below a request from the Grenfell Leaseholders' Association for funding either from the Council or from the TMO to pay for an independent health and safety adviser to look into the matters outlined by Mr Awoderu.

Cllr Judith Blakeman

TRI000001145/7
TRI000001145_0007

a: 292a Kensal Road, London, W10 5BE.

 Before printing, please think about the environment

From: Robert Black

Sent: 22 March 2017 16:29

To: Sacha Jevans <sjevans@kctmo.org.uk>; Janice Wray <jwray@kctmo.org.uk>; Yvonne Birch <ybirch@kctmo.org.uk>; Finance Director Barbara Mathews <[REDACTED]>; Gill Petford <gpetford@kctmo.org.uk>

Subject: Fwd: Independent Health and safety inspector for Grenfell Tower

Dear team

Please review and maybe we can pick up tomorrow

Robert

Sent from my Samsung device

----- Original message -----

From: Judith Blakeman <[REDACTED]>

Date: 22/03/2017 14:35 (GMT+00:00)

To: Laura.Johnson@rbkc.gov.uk, Robert Black <rblack@kctmo.org.uk>

Cc: cllr.atkinson@rbkc.gov.uk, cllr.lasharie@rbkc.gov.uk, [REDACTED]

[REDACTED] Miguel Manuel Ferreira Alves'

[REDACTED] 'Shanti Patel' <[REDACTED]> maria.memoli@localgovernance.co.uk, 'Nick Burton' <[REDACTED]>, Nicola Bartholomew <nbartholomew@kctmo.org.uk>, Millicent Williams <mwilliams@kctmo.org.uk>, 'Eddie daffarn' <[REDACTED]>, lancwestra@gmail.com, 'Grenfell Tower Leaseholder's Association' <GrenfellLeaseholdersAssociation@hotmail.co.uk>

Subject: RE: Independent Health and safety inspector for Grenfell Tower

Dear Ms Johnson and Mr Black

Please find below a request from the Grenfell Leaseholders' Association for funding either from the Council or from the TMO to pay for an independent health and safety adviser to look into the matters outlined by Mr Awoderu.

Cllr Judith Blakeman

TR1000001145/8
TR1000001145_0000

From: Grenfell Tower Leaseholder's Association [<mailto:GrenfellLeaseholdersAssociation@hotmail.co.uk>]
Sent: 22 March 2017 13:33
To: Judith Blakeman
Cc: cllr.atkinson@rbkc.gov.uk; cllr.lasharie@rbkc.gov.uk; [REDACTED];
[REDACTED]; Miguel Manuel Ferreira Alves; [REDACTED];
[REDACTED] Shanti Patel; [REDACTED] Nick Burton;
nbartholomew@kctmo.org.uk; mwilliams@kctmo.org.uk; Eddie daffarn; lancwestra@gmail.com
Subject: Independent Health and safety inspector for Grenfell Tower

Dear Cllr. Judith Blakeman,

Thank you for your email to the KCTMO.

Did you manage to get any formal confirmation from the Fire Brigade in relation to our grave concerns of Fire hazard and health and safety at Grenfell Tower?

On a separate note, we intend to hire the independent Health and Safety inspector to attend the premises to inspect the following:

1. To carry out full health & Safety inspection of physical aspect of the premises including structural problem as well as onsite documentation.
2. Observation made and hazard identified
3. Level of Risk ref: to gas pipe at stairwells taking into accounts level of vandalisms and anti-social elements at Stairwells
4. Any recommendations necessary to ensure ongoing legal compliance

It is important that we inform you as our local senior Councillor for many years along with Notting dale ward councillors. Could you please kindly seek immediate funding from the KCTMO or the RBKC to pay toward hiring the independent health and safety advisor as a matter of urgency?

So the inspection can take place in presence of local stakeholders of Lancaster west Estate.

We wait to hear from you urgently.

Best wishes

Tune Awoderu

The Vice Chair of Grenfell Tower Leaseholders' Association

From: Judith Blakeman <[REDACTED]>
Sent: 20 March 2017 14:36
To: 'Grenfell Tower Leaseholder's Association'
Subject: FW: Gas Pipes at Grenfell Tower

FYI

Judith

From: Grenfell Tower Leaseholder's Association [<mailto:GrenfellLeaseholdersAssociation@hotmail.co.uk>]

Sent: 22 March 2017 13:33

To: Judith Blakeman

Cc: cllr.atkinson@rbkc.gov.uk; cllr.lasharie@rbkc.gov.uk; [REDACTED]

[REDACTED] Miguel Manuel Ferreira Alves; [REDACTED]

[REDACTED] Shanti Patel; maria.memoli@localgovernance.co.uk; Nick Burton; nbartholomew@kctmo.org.uk; mwilliams@kctmo.org.uk; Eddie daffarn; lancwestra@gmail.com

Subject: Independent Health and safety inspector for Grenfell Tower

Dear Cllr. Judith Blakeman,

Thank you for your email to the KCTMO.

Did you manage to get any formal confirmation from the Fire Brigade in relation to our grave concerns of Fire hazard and health and safety at Grenfell Tower?

On a separate note, we intend to hire the independent Health and Safety inspector to attend the premises to inspect the following:

1. To carry out full health & Safety inspection of physical aspect of the premises including structural problem as well as onsite documentation.
2. Observation made and hazard identified
3. Level of Risk ref: to gas pipe at stairwells taking into accounts level of vandalisms and anti-social elements at Stairwells
4. Any recommendations necessary to ensure ongoing legal compliance

It is important that we inform you as our local senior Councillor for many years along with Notting dale ward councillors. Could you please kindly seek immediate funding from the KCTMO or the RBKC to pay toward hiring the independent health and safety advisor as a matter of urgency?

So the inspection can take place in presence of local stakeholders of Lancaster west Estate.

We wait to hear from you urgently.

Best wishes

Tune Awoderu

The Vice Chair of Grenfell Tower Leaseholders' Association

From: Judith Blakeman <[REDACTED]>

Sent: 20 March 2017 14:36

To: 'Grenfell Tower Leaseholder's Association'

Subject: FW: Gas Pipes at Grenfell Tower

FYI

Judith

From: Judith Blakeman [mailto: [REDACTED]]
Sent: 20 March 2017 13:18
To: Complaints@kctmo.org.uk
Cc: rblack@kctmo.org.uk; Peter Maddison (pmaddison@kctmo.org.uk); 'Cllr.atkinson@rbkc.gov.uk'; 'cllr.lasharie@rbkc.gov.uk'; 'jwray@kctmo.org.uk'
Subject: Gas Pipes at Grenfell Tower
Importance: High

Dear Complaints

Following representations from the Grenfell Leaseholders Association and other residents, I am writing to ask for a full audit by the Fire Brigade of the installation of the gas pipes in the Grenfell Tower stairwells following recent works undertaken by the National Grid.

They fear that the way these pipes have been installed - without being boxed in or provided with other protection and with the valves exposed in the stairwell - is very dangerous [see attached photographs]. They assert that because of the amount of anti-social behaviour in these stairwells, sooner or later someone will try and undo the valves. Furthermore, they believe that in the event of a fire in the Tower, if ignited, the pipes will cause an explosion and prevent people exiting the building.

Neither the ward councillors nor the residents are competent to determine whether in fact this installation is dangerous or not and we would therefore appreciate formal confirmation from the Fire Brigade and the TMO that residents' worries can be allayed.

Kind regards

Cllr Judith Blakeman

This e-mail message has been scanned for Viruses and Content and cleared by **MailMarshal**

DISCLAIMER:

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This message may contain confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Kensington & Chelsea TMO Ltd. Finally, the recipient should check this email and any attachments for the presence of viruses. Kensington & Chelsea TMO Ltd. accepts no liability for any damage caused by any Virus transmitted by this email.

From: Judith Blakeman [mailto: [REDACTED]]
Sent: 20 March 2017 13:18
To: Complaints@kctmo.org.uk
Cc: rblack@kctmo.org.uk; Peter Maddison (pmaddison@kctmo.org.uk); 'Cllr.atkinson@rbkc.gov.uk'; 'cllr.lasharie@rbkc.gov.uk'; 'jwray@kctmo.org.uk'
Subject: Gas Pipes at Grenfell Tower
Importance: High

Dear Complaints

Following representations from the Grenfell Leaseholders Association and other residents, I am writing to ask for a full audit by the Fire Brigade of the installation of the gas pipes in the Grenfell Tower stairwells following recent works undertaken by the National Grid.

They fear that the way these pipes have been installed - without being boxed in or provided with other protection and with the valves exposed in the stairwell - is very dangerous [see attached photographs]. They assert that because of the amount of anti-social behaviour in these stairwells, sooner or later someone will try and undo the valves. Furthermore, they believe that in the event of a fire in the Tower, if ignited, the pipes will cause an explosion and prevent people exiting the building.

Neither the ward councillors nor the residents are competent to determine whether in fact this installation is dangerous or not and we would therefore appreciate formal confirmation from the Fire Brigade and the TMO that residents' worries can be allayed.

Kind regards

Cllr Judith Blakeman

This e-mail message has been scanned for Viruses and Content and cleared by **MailMarshal**

DISCLAIMER:

This E-mail and any files transmitted with are intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the System Administrator. This message may contain confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this email.

Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of Kensington & Chelsea TMO Ltd. Finally, the recipient should check this email and any attachments for the presence of viruses. Kensington & Chelsea TMO Ltd. accepts no liability for any damage caused by any Virus transmitted by this email.

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our [UK Contacts Page](#) or our [US Contacts Page](#) (accessed by clicking on the appropriate link)

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Grid plc and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on the UK operating companies within the National Grid group please use the attached link: <http://www.nationalgrid.com/corporate/legal/registeredoffices.htm>

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our [UK Contacts Page](#) or our [US Contacts Page](#) (accessed by clicking on the appropriate link)

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Grid plc and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on the UK operating companies within the National Grid group please use the attached link: <http://www.nationalgrid.com/corporate/legal/registeredoffices.htm>