

Exhibit MS1: Data Log (Filtered) for SDBA 813 - North Kensington

1	2	3	4	5	6
#01	..PSS7000Log_BRAL0201_20170622142931.hlg	22-Jun-2017	14:31:17		
#02					
#03	Serial number: BRAL0201				
#04	Pressure module serial number: BRAL0201				
#05	Log downloaded from on: 22-Jun-2017 14:30:22				
#06	Internal clock at time of download: 22-Jun-2017 13:34:36				
#07	PC Software version at download: 3.1.0				
#08	Firmware version at download: 01.02.06				
#09	Pressure module firmware version at download: 0.0.20				
#10					
#11	PC User: M Stanton				
#12	Notes:				
#13	SDBA 813 - Grenfell Tower (40PF P(R) 14-06-2017				
#14					
#15	Data log				

ID	Date/Time	Event	Pressure	Breathing rate	Description
4983	14/06/2017 00:58:39	00:58:39 Battery			Charger disconnected
4984	14/06/2017 00:58:39	00:58:39 On/Off	Off		Charger disconnected
4985	14/06/2017 01:02:31	01:02:31 On/Off	On		Pressure
4986	14/06/2017 01:02:31	01:02:31 Misc Event			Tally in
4988	14/06/2017 01:04:11	01:04:11 Misc Event			Tally out
4989	14/06/2017 01:04:11	01:04:11 Misc Event			Motion sensor enabled
4991	14/06/2017 01:04:20	01:04:20 Telemetry			Logged on to ECB
4992	14/06/2017 01:04:31	01:04:31 Pressure	285.95	0	
4993	14/06/2017 01:04:51	01:04:51 Pressure	281.34	41.61	
4994	14/06/2017 01:05:11	01:05:11 Pressure	275.63	66.32	
4995	14/06/2017 01:05:30	01:05:30 Pressure	271.02	67.59	
4996	14/06/2017 01:05:50	01:05:50 Pressure	266.85	63.12	
4997	14/06/2017 01:06:10	01:06:10 Pressure	262.9	60.05	
4998	14/06/2017 01:06:30	01:06:30 Pressure	257.63	72.97	
4999	14/06/2017 01:06:50	01:06:50 Pressure	255	50.95	
5000	14/06/2017 01:07:10	01:07:10 Pressure	250.17	68.23	
5001	14/06/2017 01:07:30	01:07:30 Pressure	246.66	60.09	

ID	Date/Time	Event	Pressure	Breathing rate	Description
5002	14/06/2017 01:07:50	01:07:50 Pressure	242.05	69.91	
5003	14/06/2017 01:08:10	01:08:10 Pressure	237.88	68.41	
5004	14/06/2017 01:08:29	01:08:29 Pressure	233.27	75.6	
5005	14/06/2017 01:08:49	01:08:49 Pressure	229.98	61.2	
5006	14/06/2017 01:09:09	01:09:09 Pressure	226.25	61.85	
5007	14/06/2017 01:09:29	01:09:29 Pressure	222.08	67.08	
5008	14/06/2017 01:09:49	01:09:49 Pressure	218.79	59.07	
5009	14/06/2017 01:10:09	01:10:09 Pressure	215.06	61.64	
5010	14/06/2017 01:10:29	01:10:29 Pressure	210.67	70.9	
5011	14/06/2017 01:10:49	01:10:49 Pressure	208.04	53.84	
5012	14/06/2017 01:11:09	01:11:09 Pressure	203.65	74.84	
5013	14/06/2017 01:11:28	01:11:28 Pressure	200.58	66.79	
5014	14/06/2017 01:11:48	01:11:48 Pressure	197.5	62.38	
5015	14/06/2017 01:12:08	01:12:08 Pressure	193.77	69.85	
5016	14/06/2017 01:12:28	01:12:28 Pressure	190.92	62.24	
5017	14/06/2017 01:12:48	01:12:48 Pressure	188.51	55.39	
5018	14/06/2017 01:13:08	01:13:08 Pressure	186.09	53.32	
5019	14/06/2017 01:13:28	01:13:28 Pressure	183.46	55.89	
5020	14/06/2017 01:13:48	01:13:48 Pressure	180.83	56.89	
5021	14/06/2017 01:14:08	01:14:08 Pressure	178.63	50.73	
5022	14/06/2017 01:14:27	01:14:27 Pressure	176.22	54	
5023	14/06/2017 01:14:47	01:14:47 Pressure	174.68	40.08	
5024	14/06/2017 01:15:07	01:15:07 Pressure	172.27	48.34	
5025	14/06/2017 01:15:27	01:15:27 Pressure	171.17	31.6	
5026	14/06/2017 01:15:47	01:15:47 Pressure	168.31	52.22	
5027	14/06/2017 01:16:07	01:16:07 Pressure	166.34	45.98	
5028	14/06/2017 01:16:27	01:16:27 Pressure	164.37	44.11	
5029	14/06/2017 01:16:47	01:16:47 Pressure	161.73	53.21	
5030	14/06/2017 01:17:07	01:17:07 Pressure	159.54	49.86	
5031	14/06/2017 01:17:26	01:17:26 Pressure	157.13	54.22	
5032	14/06/2017 01:17:46	01:17:46 Pressure	154.27	60.39	
5033	14/06/2017 01:18:06	01:18:06 Pressure	152.08	52.68	
5034	14/06/2017 01:18:26	01:18:26 Battery			Rechargeable battery fault
5035	14/06/2017 01:18:26	01:18:26 Pressure	149.45	56.81	
5036	14/06/2017 01:18:46	01:18:46 Pressure	147.25	51.68	
5037	14/06/2017 01:19:06	01:19:06 Pressure	145.05	50.01	
5038	14/06/2017 01:19:26	01:19:26 Pressure	142.86	49.95	

ID	Date/Time	Event	Pressure	Breathing rate	Description
5039	14/06/2017 01:19:29	01:19:29 Battery			Rechargeable battery OK
5040	14/06/2017 01:19:31	01:19:31 Telemetry			Logged off/Modem shutdown
5043	14/06/2017 01:19:46	01:19:46 Pressure	141.1	43.46	
5044	14/06/2017 01:20:06	01:20:06 Pressure	138.91	48.14	
5047	14/06/2017 01:20:25	01:20:25 Pressure	136.27	58.61	
5048	14/06/2017 01:20:45	01:20:45 Pressure	132.98	70.08	
5049	14/06/2017 01:21:05	01:21:05 Pressure	129.91	70.57	
5050	14/06/2017 01:21:25	01:21:25 Pressure	127.06	67.33	
5051	14/06/2017 01:21:45	01:21:45 Battery			Rechargeable battery fault
5052	14/06/2017 01:21:45	01:21:45 Pressure	124.87	56.08	
5053	14/06/2017 01:21:47	01:21:47 Battery			Rechargeable battery OK
5054	14/06/2017 01:21:53	01:21:53 Battery			Rechargeable battery fault
5055	14/06/2017 01:22:05	01:22:05 Pressure	122.23	59.38	
5056	14/06/2017 01:22:12	01:22:12 Battery			Rechargeable battery OK
5060	14/06/2017 01:22:16	01:22:16 Battery			Rechargeable battery fault
5061	14/06/2017 01:22:25	01:22:25 Pressure	120.04	53.65	
5062	14/06/2017 01:22:29	01:22:29 Battery			Rechargeable battery OK
5064	14/06/2017 01:22:32	01:22:32 Battery			Rechargeable battery fault
5065	14/06/2017 01:22:45	01:22:45 Pressure	117.41	58.75	
5066	14/06/2017 01:23:05	01:23:05 Pressure	115.21	53.45	
5067	14/06/2017 01:23:24	01:23:24 Pressure	113.02	53.69	
5068	14/06/2017 01:23:44	01:23:44 Pressure	111.26	45	
5069	14/06/2017 01:24:04	01:24:04 Pressure	109.5	42.33	
5070	14/06/2017 01:24:24	01:24:24 Pressure	107.09	51.82	
5071	14/06/2017 01:24:44	01:24:44 Pressure	104.45	58.31	
5072	14/06/2017 01:25:04	01:25:04 Pressure	101.82	60.43	
5073	14/06/2017 01:25:24	01:25:24 Pressure	99.84	52.7	
5074	14/06/2017 01:25:44	01:25:44 Pressure	98.97	31.24	
5075	14/06/2017 01:26:04	01:26:04 Pressure	96.99	42.22	
5076	14/06/2017 01:26:23	01:26:23 Pressure	95.9	32.31	
5077	14/06/2017 01:26:43	01:26:43 Pressure	94.14	39.01	
5078	14/06/2017 01:27:03	01:27:03 Pressure	93.05	30.34	
5079	14/06/2017 01:27:23	01:27:23 Pressure	91.51	34.81	
5080	14/06/2017 01:27:43	01:27:43 Pressure	89.75	39.82	
5081	14/06/2017 01:27:43	01:27:43 Battery			Rechargeable battery OK
5082	14/06/2017 01:27:46	01:27:46 Telemetry			PSS Merlin modem fault
5083	14/06/2017 01:27:46	01:27:46 Telemetry			PSS Merlin modem OK

ID	Date/Time	Event	Pressure	Breathing rate	Description
5085	14/06/2017 01:27:51	01:27:51 Battery			Rechargeable battery fault
5086	14/06/2017 01:28:03	01:28:03 Pressure	86.46	66.23	
5087	14/06/2017 01:28:23	01:28:23 Pressure	84.48	53.61	
5088	14/06/2017 01:28:26	01:28:26 ALARM			Low pressure alarm
5089	14/06/2017 01:28:27	01:28:27 Battery			Rechargeable battery OK
5092	14/06/2017 01:28:38	01:28:38 Battery			Rechargeable battery fault
5093	14/06/2017 01:28:39	01:28:39 Battery			Rechargeable battery OK
5094	14/06/2017 01:28:43	01:28:43 Pressure	81.85	60.03	
5095	14/06/2017 01:28:46	01:28:46 Battery			Rechargeable battery fault
5096	14/06/2017 01:28:57	01:28:57 Battery			Rechargeable battery OK
5100	14/06/2017 01:29:03	01:29:03 Pressure	80.09	48.03	
5101	14/06/2017 01:29:10	01:29:10 Battery			Rechargeable battery fault
5102	14/06/2017 01:29:12	01:29:12 Battery			Rechargeable battery OK
5103	14/06/2017 01:29:18	01:29:18 Battery			Rechargeable battery fault
5104	14/06/2017 01:29:22	01:29:22 Pressure	80.76		
5105	14/06/2017 01:29:28	01:29:28 Battery			Rechargeable battery OK
5109	14/06/2017 01:29:34	01:29:34 Battery			Rechargeable battery fault
5110	14/06/2017 01:29:42	01:29:42 On/Off	Off		Switch-Off (Tally)
5111	14/06/2017 01:32:11	01:32:11 On/Off	On		Pressure
5112	14/06/2017 01:32:11	01:32:11 Misc Event			Tally in
5119	14/06/2017 01:47:16	01:47:16 On/Off	Off		Switch-Off (Timeout in idle mode)
5120	14/06/2017 01:53:34	01:53:34 On/Off	On		Switch-On (Button)
5121	14/06/2017 01:53:34	01:53:34 Misc Event			Tally in
5124	14/06/2017 01:53:56	01:53:56 Misc Event			Tally out
5125	14/06/2017 01:53:56	01:53:56 Misc Event			Motion sensor enabled
5126	14/06/2017 01:54:15	01:54:15 Pressure	311.62	0	
5128	14/06/2017 01:54:27	01:54:27 ALARM			Motion pre-alert on
5130	14/06/2017 01:54:29	01:54:29 ALARM			Motion pre-alert off
5131	14/06/2017 01:54:35	01:54:35 Pressure	311.4	2.91	
5132	14/06/2017 01:54:55	01:54:55 Pressure	311.4	0	
5133	14/06/2017 01:55:04	01:55:04 ALARM			Motion pre-alert on
5134	14/06/2017 01:55:15	01:55:15 Pressure	311.4		
5135	14/06/2017 01:55:19	01:55:19 ALARM			ADSU (Motion) alarm
5136	14/06/2017 01:55:21	01:55:21 ALARM			Alarm off
5137	14/06/2017 01:55:21	01:55:21 Misc Event			Tally in
5138	14/06/2017 01:55:26	01:55:26 ALARM			Manual DSU alarm

ID	Date/Time		Event	Pressure	Breathing rate	Description
5139	14/06/2017 01:55:28	01:55:28	Misc Event			Tally out
5140	14/06/2017 01:55:29	01:55:29	ALARM			Alarm off
5141	14/06/2017 01:55:29	01:55:29	Misc Event			Tally in
5142	14/06/2017 01:55:40	01:55:40	On/Off	On		Firmware reset
5143	14/06/2017 01:55:40	01:55:40	Misc Event			Tally in
5145	14/06/2017 01:55:44	01:55:44	Misc Event			Leak test started
5146	14/06/2017 01:57:58	01:57:58	ALARM			Low pressure alarm
5147	14/06/2017 01:58:05	01:58:05	Misc Event			Leaktest passed
5148	14/06/2017 01:59:08	01:59:08	On/Off	Off		Switch-Off (Button)
5660	22/06/2017 14:30:09		PC Link			Download log