

Exhibit MS6: Data Log for EDBA 9167 (anomalies)

1	2	3	4	5	6
#01	..PSS7000Log_BRCC0639_20170626140119.hlg 26-Jun-2017 14:03:09				
#02					
#03	Serial number: BRCC0639				
#04	Pressure module serial number: BRCC0639				
#05	Log downloaded from on: 26-Jun-2017 14:02:26				
#06	Internal clock at time of download: 13-Jan-2000 08:37:51				
#07	PC Software version at download: 3.1.0				
#08	Firmware version at download: 01.02.13				
#09	Pressure module firmware version at download: 0.0.20				
#10					
#11	PC User: M Stanton				
#12	Notes:				
#13	EDBA 9167 - Grenfell Tower (40PF PR) 14-06-2017				
#14					
#15	Data log				

ID	Date/Time		Event	Pressure	Breathing rate	Description
4214	27/11/1906 07:28:03	14/06/2017 03:48:48 03:48:48	Battery			Charger disconnected
4215	27/11/1906 07:28:03	14/06/2017 03:48:48 03:48:48	On/Off	Off		Charger disconnected
4216	27/11/1906 08:14:44	14/06/2017 04:35:29 04:35:29	On/Off	On		Pressure
4217	27/11/1906 08:14:44	14/06/2017 04:35:29 04:35:29	Misc Event			Tally in
4222	27/11/1906 08:28:54	14/06/2017 04:49:39 04:49:39	Misc Event			Tally out
4223	27/11/1906 08:28:54	14/06/2017 04:49:39 04:49:39	Misc Event			Motion sensor enabled
4224	27/11/1906 08:29:14	14/06/2017 04:49:59 04:49:59	Pressure	298.13	0	
4225	27/11/1906 08:29:28	14/06/2017 04:50:13 04:50:13	Telemetry			Logged on to ECB
4226	27/11/1906 08:29:34	14/06/2017 04:50:19 04:50:19	Pressure	297.09	15.3	
4227	27/11/1906 08:29:54	14/06/2017 04:50:39 04:50:39	Pressure	295.8	23.9	
4228	27/11/1906 08:30:14	14/06/2017 04:50:59 04:50:59	Pressure	293.98	34.77	
4229	27/11/1906 08:30:33	14/06/2017 04:51:18 04:51:18	Pressure	292.16	40.02	
4230	27/11/1906 08:30:53	14/06/2017 04:51:38 04:51:38	Pressure	289.31	56.16	
4231	27/11/1906 08:31:13	14/06/2017 04:51:58 04:51:58	Pressure	286.73	57.79	
4232	27/11/1906 08:31:33	14/06/2017 04:52:18 04:52:18	Pressure	284.13	58.88	

Exhibit MS6: Data Log for EDBA 9167 (anomalies)

ID	Date/Time	Event	Pressure	Breathing rate	Description
4233	27/11/1906 08:31:53	14/06/2017 04:52:38 04:52:38 Pressure	281.02	67.58	
4234	27/11/1906 08:32:10	14/06/2017 04:52:55 04:52:55 Telemetry			Out of range
4235	27/11/1906 08:32:13	14/06/2017 04:52:58 04:52:58 Pressure	277.91	71.25	
4236	27/11/1906 08:32:33	14/06/2017 04:53:18 04:53:18 Pressure	275.58	60.48	
4237	27/11/1906 08:32:53	14/06/2017 04:53:38 04:53:38 Pressure	272.73	65.6	
4238	27/11/1906 08:33:13	14/06/2017 04:53:58 04:53:58 Pressure	269.61	73.39	
4239	27/11/1906 08:33:33	14/06/2017 04:54:18 04:54:18 Pressure	266.76	72.31	
4240	27/11/1906 08:33:52	14/06/2017 04:54:37 04:54:37 Pressure	264.43	65.71	
4241	27/11/1906 08:34:12	14/06/2017 04:54:57 04:54:57 Pressure	263.13	43.65	
4242	27/11/1906 08:34:32	14/06/2017 04:55:17 04:55:17 Pressure	262.09	32.29	
4243	27/11/1906 08:34:52	14/06/2017 04:55:37 04:55:37 Pressure	261.05	28.32	
4244	27/11/1906 08:35:12	14/06/2017 04:55:57 04:55:57 Pressure	259.76	32.04	
4245	27/11/1906 08:35:19	14/06/2017 04:56:04 04:56:04 Telemetry			In range
4246	27/11/1906 08:35:32	14/06/2017 04:56:17 04:56:17 Pressure	257.95	42.15	
4247	27/11/1906 08:35:52	14/06/2017 04:56:37 04:56:37 Pressure	256.65	36.54	
4248	27/11/1906 08:36:09	14/06/2017 04:56:54 04:56:54 Telemetry			Out of range
4249	27/11/1906 08:36:11	14/06/2017 04:56:56 04:56:56 Telemetry			In range
4250	27/11/1906 08:36:12	14/06/2017 04:56:57 04:56:57 Pressure	254.58	49.18	
4251	27/11/1906 08:36:32	14/06/2017 04:57:17 04:57:17 Pressure	252.77	49.12	
4252	27/11/1906 08:36:52	14/06/2017 04:57:37 04:57:37 Pressure	250.95	49.38	
4253	27/11/1906 08:37:11	14/06/2017 04:57:56 04:57:56 Pressure	249.65	41.26	
4254	27/11/1906 08:37:31	14/06/2017 04:58:16 04:58:16 Pressure	248.88	27.9	
4255	27/11/1906 08:37:48	14/06/2017 04:58:33 04:58:33 Telemetry			Out of range
4256	27/11/1906 08:37:51	14/06/2017 04:58:36 04:58:36 Pressure	247.84	28.28	
4257	27/11/1906 08:38:11	14/06/2017 04:58:56 04:58:56 Pressure	246.02	43.15	
4258	27/11/1906 08:38:31	14/06/2017 04:59:16 04:59:16 Pressure	244.73	38.25	
4259	27/11/1906 08:38:51	14/06/2017 04:59:36 04:59:36 Pressure	243.69	31.93	
4260	27/11/1906 08:39:11	14/06/2017 04:59:56 04:59:56 Pressure	242.39	34.88	
4261	27/11/1906 08:39:31	14/06/2017 05:00:16 05:00:16 Pressure	240.32	50.59	
4262	27/11/1906 08:39:33	14/06/2017 05:00:18 05:00:18 Battery			Rechargeable battery fault
4263	27/11/1906 08:39:51	14/06/2017 05:00:36 05:00:36 Pressure	238.24	55.42	
4264	27/11/1906 08:40:11	14/06/2017 05:00:56 05:00:56 Pressure	235.65	66.73	
4265	27/11/1906 08:40:30	14/06/2017 05:01:15 05:01:15 Pressure	232.8	78.53	
4266	27/11/1906 08:40:50	14/06/2017 05:01:35 05:01:35 Pressure	231.5	50.33	

Exhibit MS6: Data Log for EDBA 9167 (anomalies)

ID	Date/Time		Event	Pressure	Breathing rate	Description
4267	27/11/1906 08:41:10	14/06/2017 05:01:55 05:01:55	Pressure	230.47	36.14	
4268	27/11/1906 08:41:11	14/06/2017 05:01:56 05:01:56	Battery			Rechargeable battery OK
4269	27/11/1906 08:41:11	14/06/2017 05:01:56 05:01:56	Telemetry			Logged off/Modem shutdown
4272	27/11/1906 08:41:24	14/06/2017 05:02:09 05:02:09	Battery			Rechargeable battery fault
4273	27/11/1906 08:41:30	14/06/2017 05:02:15 05:02:15	Pressure	228.39	51.83	
4274	27/11/1906 08:41:50	14/06/2017 05:02:35 05:02:35	Pressure	227.09	41.91	
4275	27/11/1906 08:41:56	14/06/2017 05:02:41 05:02:41	Battery			Rechargeable battery OK
4279	27/11/1906 08:42:04	14/06/2017 05:02:49 05:02:49	Battery			Rechargeable battery fault
4280	27/11/1906 08:42:10	14/06/2017 05:02:55 05:02:55	Pressure	226.32	28.67	
4281	27/11/1906 08:42:30	14/06/2017 05:03:15 05:03:15	Pressure	225.28	29.65	
4282	27/11/1906 08:42:32	14/06/2017 05:03:17 05:03:17	Battery			Rechargeable battery OK
4285	27/11/1906 08:42:36	14/06/2017 05:03:21 05:03:21	Battery			Rechargeable battery fault
4286	27/11/1906 08:42:36	14/06/2017 05:03:21 05:03:21	Battery			Rechargeable battery OK
4287	27/11/1906 08:42:50	14/06/2017 05:03:35 05:03:35	Pressure	224.24	29.96	
4289	27/11/1906 08:43:08	14/06/2017 05:03:53 05:03:53	Battery			Rechargeable battery fault
4290	27/11/1906 08:43:08	14/06/2017 05:03:53 05:03:53	Battery			Rechargeable battery OK
4291	27/11/1906 08:43:10	14/06/2017 05:03:55 05:03:55	Pressure	223.47	24.5	
4293	27/11/1906 08:43:30	14/06/2017 05:04:15 05:04:15	Pressure	222.17	33.02	
4295	27/11/1906 08:43:49	14/06/2017 05:04:34 05:04:34	Pressure	221.13	31.83	
4296	27/11/1906 08:44:03	14/06/2017 05:04:48 05:04:48	Battery			Rechargeable battery fault
4297	27/11/1906 08:44:03	14/06/2017 05:04:48 05:04:48	Battery			Rechargeable battery OK
4298	27/11/1906 08:44:09	14/06/2017 05:04:54 05:04:54	Pressure	219.58	40.41	
4299	27/11/1906 08:44:29	14/06/2017 05:05:14 05:05:14	Pressure	217.24	58.79	
4300	27/11/1906 08:44:49	14/06/2017 05:05:34 05:05:34	Pressure	215.43	54.75	
4301	27/11/1906 08:45:09	14/06/2017 05:05:54 05:05:54	Pressure	214.66	33.13	
4302	27/11/1906 08:45:29	14/06/2017 05:06:14 05:06:14	Pressure	213.36	36.38	
4303	27/11/1906 08:45:49	14/06/2017 05:06:34 05:06:34	Pressure	211.8	43.01	
4304	27/11/1906 08:46:09	14/06/2017 05:06:54 05:06:54	Pressure	211.8	0	
4305	27/11/1906 08:46:29	14/06/2017 05:07:14 05:07:14	Pressure	211.8	0	
4306	27/11/1906 08:46:39	14/06/2017 05:07:24 05:07:24	ALARM			Motion pre-alert on
4307	27/11/1906 08:46:40	14/06/2017 05:07:25 05:07:25	ALARM			Motion pre-alert off
4308	27/11/1906 08:46:49	14/06/2017 05:07:34 05:07:34	Pressure	210.77	20.59	
4309	27/11/1906 08:47:09	14/06/2017 05:07:54 05:07:54	Pressure	209.73	27.57	
4310	27/11/1906 08:47:28	14/06/2017 05:08:13 05:08:13	Pressure	207.91	47.63	

Exhibit MS6: Data Log for EDBA 9167 (anomalies)

ID	Date/Time	Event	Pressure	Breathing rate	Description
4311	27/11/1906 08:47:48	14/06/2017 05:08:33 05:08:33 Pressure	207.39	27.19	
4312	27/11/1906 08:48:08	14/06/2017 05:08:53 05:08:53 Pressure	205.84	43.63	
4313	27/11/1906 08:48:28	14/06/2017 05:09:13 05:09:13 Pressure	203.51	66.51	
4314	27/11/1906 08:48:48	14/06/2017 05:09:33 05:09:33 Pressure	202.21	50.87	
4315	27/11/1906 08:49:08	14/06/2017 05:09:53 05:09:53 Pressure	200.39	57.74	
4316	27/11/1906 08:49:28	14/06/2017 05:10:13 05:10:13 Pressure	198.32	65.82	
4317	27/11/1906 08:49:48	14/06/2017 05:10:33 05:10:33 Pressure	197.28	45.08	
4318	27/11/1906 08:50:08	14/06/2017 05:10:53 05:10:53 Pressure	195.21	61.98	
4319	27/11/1906 08:50:28	14/06/2017 05:11:13 05:11:13 Pressure	194.43	37.98	
4320	27/11/1906 08:50:47	14/06/2017 05:11:32 05:11:32 Pressure	192.62	56.29	
4321	27/11/1906 08:51:07	14/06/2017 05:11:52 05:11:52 Pressure	191.06	55.89	
4322	27/11/1906 08:51:27	14/06/2017 05:12:12 05:12:12 Pressure	190.28	37.67	
4323	27/11/1906 08:51:47	14/06/2017 05:12:32 05:12:32 Pressure	188.73	51.22	
4324	27/11/1906 08:52:07	14/06/2017 05:12:52 05:12:52 Pressure	187.69	42.83	
4325	27/11/1906 08:52:27	14/06/2017 05:13:12 05:13:12 Pressure	186.66	39.82	
4326	27/11/1906 08:52:47	14/06/2017 05:13:32 05:13:32 Pressure	186.13	26.32	
4327	27/11/1906 08:52:58	14/06/2017 05:13:43 05:13:43 ALARM			Motion pre-alert on
4328	27/11/1906 08:53:05	14/06/2017 05:13:50 05:13:50 ALARM			Motion pre-alert off
4329	27/11/1906 08:53:07	14/06/2017 05:13:52 05:13:52 Pressure	186.66	0	
4330	27/11/1906 08:53:27	14/06/2017 05:14:12 05:14:12 Pressure	187.17	0	
4331	27/11/1906 08:53:47	14/06/2017 05:14:32 05:14:32 Pressure	187.17	0	
4332	27/11/1906 08:54:05	14/06/2017 05:14:50 05:14:50 ALARM			Motion pre-alert on
4333	27/11/1906 08:54:06	14/06/2017 05:14:51 05:14:51 Pressure	187.17		
4334	27/11/1906 08:54:08	14/06/2017 05:14:53 05:14:53 ALARM			Motion pre-alert off
4335	27/11/1906 08:54:13	14/06/2017 05:14:58 05:14:58 Misc Event			Tally in
4336	27/11/1906 09:03:30	14/06/2017 05:24:15 05:24:15 ALARM			Low pressure alarm

14/06/2017 05:24:15

This date and time taken from original CSV file ID 4338 and 4339

27/11/1906 09:03:30

40376.84774

4795	26/06/2017 14:01:12	On/Off	On	Switch-On (Button)
4796	26/06/2017 14:01:12	Misc Event		Tally in
4798	26/06/2017 14:02:02	PC Link		Download log