Template Page 1 of 1

Fire / Gas / Electricity - 643 Updated : Sep '16

Full NSIR Definition Grading/Response Definitions Immediate Significant Extended Referred

Opening / Closing Descriptor Qualifier

Any incident where fire, gas or electricity is a factor.

NB - just because the LFB call and state the incident is "for our information only", that doesn't mean you can assume no Police deployment. The incident must be judged in the same way as any other and graded accordingly. YOU judge policing deployments, not the LFB!

CHS SMF Index

To Consider :-Homepage Primary & Secondary Fires Gas / Electricity Officer Safety

First Contact :-

Always:

- o Check LBC's for special instructions affecting a call;
- o Establish the 4 Ws Who, What, Where, When?;
- o See SMF/RISKFIRE;
- o Ensure remarks state whether the incident involves Fire, Gas or Electricity;
- o If call is from LAS or LFB confirmed they are attending, also record their reference number;
- o If chemical incident use qualifier Chemical / Radiation (666)

Consider:

- o LAS
- o DI/10 if LFB, Electricity Board, Gas Board or other Agency are to be informed;
- o If Police are required at the scene
 - To avoid potential loss of evidence or witnesses;
 - For traffic arrangements;
 - To gain entry to premises;
 - For investigation of Crime;
 - To secure premises.

Despatch:-

Always:

- o If Primary Fire or serious incident :
 - Route to DI SI TC;
 - Inform Duty Officer;
- o Ensure Units attending are aware of Officer Safety;
- o If traffic closures implemented, route to TC;
- o Inform BOCU Supervisor of all Secondary Fires where the cause is undetermined.

Consider:

- o If crime against essential services infrastructure suspected, route to CTC;
- o If appropriate, routing to BTP ASU MSU Coastguard (via EXP/MCA & MSU, also see LIN/CCC/T55).

Controller :-

Always:

o Ensure Cad Closures are in line with NCRS/NSIR and MPS policy requirements.

3 S Andrew