

A ROBERT CHART NOT WATCH BATTERSEA [REDACTED] 8M, 27 1/2 YEARS SERVICE
INCIDENT NUMBER 076029 - 14062017, AT TIME OF ORDERING WAS AT BASE
STATION TIME OF ORDERING WAS 02.16 CROWN TOWER. LANCASHIRE WEST
ESTATE WILL ITC. DO NOT KNOW BUILDING ADDRESS OR AREA. I WAS
DETAILS TO RING H27 BATTERSEA F.A.U (H276). ON ARRIVAL FROM
FRONT OF BUILDING WAS ALIGHT. ON ARRIVAL OUR CREW DONNUT OUR
ENBA SITS AND WENT TO BA HOLDING AREA. I WAS IN A CREW FROM
ISLINGTON AND WAS ORDERED TO CHECK FUMS 81, 82 & 84 ON OUR
WAY UP TO FLOOR WE CAME ACROSS A CASUALTY ON THE STAIR, ~~MYSELF~~
AND ANOTHER CREW MEMBER STAYED TO DEAL WITH THE CASUALTY WHILE
THE OTHER TWO PROCEEDED TO CARRY OUT WHAT WAS REQUIRED. WE SOON
FOUND OUT THAT THE CASUALTY WAS NON-RESPONSIVE AND VERY HEAVY
TO MOVE. WE TRIED TO CONTACT BA CONTROL BUT COMMS WAS NOT GOOD, SO
WE COULD GET SOME ASSISTANCE WITH THE CASUALTY. MY AIR WAS GETTING
LOW SO WE BOTH LEFT THE SCENE TO RETURN ^{TO} BA CONTROL WHERE
WE INFORMED THEM OF THE CASUALTY. WE WERE THEN TOLD TO GO OUTSIDE
AND NOT TAKE A WARD. LATER ON AFTER GETTING A NEW ENBA SITS
SITS WAS SENT TO THE BA HOLDING AREA IN THE BUILDING FOYER. WHILE
AFTER A TIME WE WERE SENT TO THE BRICKWORKS ON THE 4 FLOOR. WE
WERE DETAILS TO THE 10TH FLOOR TO FIRE FIGHT THE CREW CONSISTS OF 1 AF
FROM CHURCH G34, MYSELF, AND 2 OTHERS. WE HAD A LOT OF TROUBLE WITH TRYING
TO GET A BRAN ON TO THE 10TH FLOOR. TO FIRE FIGHT WE STARTED TO EXTEND THE
HOSE INTO THE FLATS AREA. AFTER A LOT OF HARD WORK ONE OF US WAS
GETTING LOW ON AIR SO WE EXITED ~~THE~~ THE 4TH FLOOR ^{BRICKWORKS} ~~10TH FLOOR~~ WHEN
WE WERE DEBRIEFED. WE THEN LEFT THE BUILDING


14.06.17
[REDACTED] 8M