

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

14/06/2017 01:30:05 (525) MPS / CLOSE - 44

Section:-LONDON

Priority:(2) Priority 2 INC XFER

Beat:-MET (523896,180964)

Disposal Codes (1-6):-412/461/ / / /

Operator Collar No:-99983 Scenario:-NPAS

Creator WkstnINCXFER

Dispatcher Badge No:-727751

Owner WkstnXW-SILV290

NPAS44

727755

---- Address Information ----

GRENFELL TOWER

GRENFELL RD #FLAT-205, LONDON, W11 1TQ

Proximity:-

☒ Valid Gazetteer:-

-----Qualifiers-----

CIA

DOWNLINK PROVIDED

OPS SUPPORT

---- Date/Time Info. ----

Initial input 14/06/2017 01:30:05

Held 14/06/2017 01:30:05

Accepted 14/06/2017 01:30:05

Assigned

Dispatched 14/06/2017 01:34:30

En Route

On Scene 14/06/2017 01:44:23

Off Scene 14/06/2017 02:44:32

Off Scene

Result Required 14/06/2017 02:54:09

Cleared

Resulted

Disposed

---- CAD Log ----

14/06/2017 01:30:54 727751 XW-NPAS283 Apartment number
/ FLAT-20514/06/2017 01:30:54 727751 XW-NPAS283 Centroide
/ APK2C98206W471N0DH14/06/2017 01:30:54 727751 XW-NPAS283 Town
/ LONDON14/06/2017 01:30:54 727751 XW-NPAS283 Complainant telephone
LFB - 76029 / LFB-7602914/06/2017 01:30:54 727751 XW-NPAS283 criticality
/ C14/06/2017 01:30:54 727751 XW-NPAS283 description
30 STOREY BUILDING ALIGHT NPAS / FIRE - 4414/06/2017 01:30:54 727751 XW-NPAS283 Dispatch level
/ LONDON14/06/2017 01:30:54 727751 XW-NPAS283 Geobase type
/ C14/06/2017 01:30:54 727751 XW-NPAS283 Geobase validation
/ True14/06/2017 01:30:54 727751 XW-NPAS283 Latitude
52 / 18096414/06/2017 01:30:54 727751 XW-NPAS283 Level 3
/ NPAS14/06/2017 01:30:54 727751 XW-NPAS283 Level 4
/ LONDON14/06/2017 01:30:54 727751 XW-NPAS283 Level 5
/ MET14/06/2017 01:30:54 727751 XW-NPAS283 loc_id
0 / 916404314/06/2017 01:30:54 727751 XW-NPAS283 loc_id
0 / 916404314/06/2017 01:30:54 727751 XW-NPAS283 loc_name
/ GRENFELL TOWER

14/06/2017 01:30:54 727751 XW-NPAS283 Postcode

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

/ W11 1TQ
 14/06/2017 01:30:54 727751 XW-NPAS283 Longitude
 0 / 523896
 14/06/2017 01:30:54 727751 XW-NPAS283 media_consent
 / ?
 14/06/2017 01:30:54 727751 XW-NPAS283 Adresse modified
 False / True
 14/06/2017 01:30:54 727751 XW-NPAS283 Operator id
 28 / 800
 14/06/2017 01:30:54 727751 XW-NPAS283 Modifying workstation number
 INCXFER / XW-NPAS283
 14/06/2017 01:30:54 727751 XW-NPAS283 Time of modification
 013005 / 013054
 14/06/2017 01:30:54 727751 XW-NPAS283 nearest_hosp
 / ()
 14/06/2017 01:30:54 727751 XW-NPAS283 Street type 1
 / RD
 14/06/2017 01:30:54 727751 XW-NPAS283 patient_age1
 / ...
 14/06/2017 01:30:54 727751 XW-NPAS283 patient_ward2
 / 0
 14/06/2017 01:30:54 727751 XW-NPAS283 Priority
 0 / 2
 14/06/2017 01:30:54 727751 XW-NPAS283 Street Name1
 "(**FIRE**)"16 GRENFELL TOWER / GRENFELL
 14/06/2017 01:30:54 727751 XW-NPAS283 timer_date
 / 20170615
 14/06/2017 01:30:54 727751 XW-NPAS283 timer_time
 / 013054
 14/06/2017 01:30:54 727751 XW-NPAS283 County
 / MET
 14/06/2017 01:30:57 727751 XW-NPAS283 Call origin
 MET / INC XFER
 14/06/2017 01:30:57 727751 XW-NPAS283 Time of modification
 013054 / 013057
 14/06/2017 02:48:51 727751 XW-NPAS283 Time of modification
 013057 / 024851
 14/06/2017 02:48:51 727751 XW-NPAS283 description
 FIRE - 44 / SUPP DATA - 44
 14/06/2017 02:54:09 727751 XW-NPAS283 13_date
 / 20170614
 14/06/2017 02:54:09 727751 XW-NPAS283 13_time
 / 025409
 14/06/2017 02:54:09 727751 XW-NPAS283 Status
 10 / 13
 14/06/2017 03:53:20 5467MT WEBSTORM nearest_hosp
 () / ()
 14/06/2017 03:53:20 5467MT WEBSTORM description
 SUPP DATA - 44 / SUPP DATA - 44 COMP.
 14/06/2017 03:57:07 838336 XW-NPAS281 description
 SUPP DATA - 44 COMP. / CLOSE - 44
 14/06/2017 03:57:07 838336 XW-NPAS281 Modifying workstation number
 XW-NPAS283 / XW-NPAS281
 14/06/2017 03:57:07 838336 XW-NPAS281 Operator id
 729 / 313
 14/06/2017 03:57:07 838336 XW-NPAS281 Time of modification
 035320 / 035707
 14/06/2017 04:06:41 727751 XW-NPAS283 Disposal code 1
 / 412
 14/06/2017 04:06:41 727751 XW-NPAS283 Disposal code 2
 / 461
 14/06/2017 04:07:07 727751 XW-NPAS283 Status
 13 / 16
 14/06/2017 04:07:07 727751 XW-NPAS283 status16_date
 / 20170614
 14/06/2017 04:07:07 727751 XW-NPAS283 status16_time
 / 040707
 30/06/2017 09:14:58 713550 XW-NPAS-2 status16_time

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

040707 /
30/06/2017 09:14:58 713550 XW-NPAS-2 status16_date
20170614 /
30/06/2017 09:14:58 713550 XW-NPAS-2 timer_time
/ 091458
30/06/2017 09:14:58 713550 XW-NPAS-2 timer_date
/ 20170701
30/06/2017 09:14:58 713550 XW-NPAS-2 Status note
/ RO
30/06/2017 09:14:58 713550 XW-NPAS-2 Status
16 / 03
30/06/2017 09:14:58 713550 XW-NPAS-2 Time of modification
040707 / 091458
30/06/2017 09:14:58 713550 XW-NPAS-2 owner_workstation
XW-NPAS283 / XW-NPAS-2
30/06/2017 09:14:58 713550 XW-NPAS-2 Assigned
Y / N
30/06/2017 09:14:58 713550 XW-NPAS-2 Operator id
800 / 112
30/06/2017 09:14:58 713550 XW-NPAS-2 Modifying workstation number
XW-NPAS283 / XW-NPAS-2
30/06/2017 09:14:58 713550 XW-NPAS-2 Date of last modification
20170614 / 20170630
30/06/2017 09:20:57 713550 XW-NPAS-2 last_disposal_comment
01 / major FIRE OF TOWER BLOCK 27 FLOORS.

OVERVIEW AND COMAND 7

30/06/2017 09:20:57 713550 XW-NPAS-2 last_disposal_comment
02 / CONTROL. TASK ABANDODN DUE TO TAIL ROTOR CHIP CAPTION ON AIR
30/06/2017 09:20:57 713550 XW-NPAS-2 last_disposal_comment
03 / CRAFT.
30/06/2017 09:20:57 713550 XW-NPAS-2 last_historical_comment
01 /
30/06/2017 09:20:57 713550 XW-NPAS-2 Status
03 / 16
30/06/2017 09:20:57 713550 XW-NPAS-2 status16_date
/ 20170630
30/06/2017 09:20:57 713550 XW-NPAS-2 status16_time
/ 092057
01/11/2017 11:25:02 727265 XW-SILV290 status16_time
092057 /
01/11/2017 11:25:02 727265 XW-SILV290 status16_date
20170630 /
01/11/2017 11:25:02 727265 XW-SILV290 timer_date
/ 20171102
01/11/2017 11:25:02 727265 XW-SILV290 timer_time
/ 112502
01/11/2017 11:25:02 727265 XW-SILV290 Status
16 / 03
01/11/2017 11:25:02 727265 XW-SILV290 owner_workstation
XW-NPAS-2 / XW-SILV290
01/11/2017 11:25:02 727265 XW-SILV290 Time of modification
092057 / 112502
01/11/2017 11:25:02 727265 XW-SILV290 Date of last modification
20170630 / 20171101
01/11/2017 11:25:02 727265 XW-SILV290 Modifying workstation number
XW-NPAS-2 / XW-SILV290
01/11/2017 11:25:02 727265 XW-SILV290 Operator id
112 / 909

SUPPLEMENTARY FORM

NPAS TASKING

G-DCPB

LIPPITTS

1

1

YES

MP 482 14JUN17

NO

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

FUEL

0

RESULTS

0

0

0

0

0

0

0

0

NVIS

0

0

SUMMARY

major FIRE OF TOWER BLOCK 27 FLOORS.

OVERVIEW AND COMAND 7 CONTROL

TASK ABANDODN DUE TO TAIL ROTOR CHIP CAPTION ON AIRCRAFT.

EVIDENCE

VIDEO

YES

LON BF

PHOTO

TRAINING

CREW

TYPE

POSITION

LIPPITTS

LIPPITTS

LANDING

0

0

0

DECLINES

DECLINE 1

DECLINE 2

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

DECLINE 3

---- Comments ----

(NPAS-20170614-0025 CLOSE - 44)

MET INC 00482 OF 14/06/2017 REFERS 14/06/2017 01:30:05 INCXFER INCXFER SYSTEM
LOCATION DATA: "(**FIRE**)"16 GRENFELL TOWER 14/06/2017 01:30:05 INCXFER INCXFER SYSTEM
,LANCASTER WEST ESTATE ,W11
DESCRIPTION: 30 STOREY BUILDING ALIGHT 14/06/2017 01:30:05 INCXFER INCXFER SYSTEM
NPAS44 LIFTING FOR OVERVIEW AND SCENE 14/06/2017 01:30:05 INCXFER INCXFER SYSTEM
MANAGEMENT
XW-NPAS283 For Control 14/06/2017 01:30:20 727751 XW-NPAS283 SYSTEM
Created Supplementary Data NPASTASK 14/06/2017 01:31:05 727751 XW-NPAS283 SYSTEM
SDF(NPASTASK) UDF_BASE BASE : LIPPITTS 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_LITRES LITRES : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_TAKEOFFS TAKEOFFS : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_LANDINGS LANDINGS : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_SUS_LOC_D SUS_LOC_D : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_SUS_LOC_A SUS_LOC_A : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_AIRCRAFT AIRCRAFT : G-DCPB 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_PER_LOC_D PER_LOC_D : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_PER_LOC_A PER_LOC_A : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_MISP_LOC_D MISP_LOC_D : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_MISP_LOC_A MISP_LOC_A : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_VEH_LOC_D VEH_LOC_D : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_VEH_LOC_A VEH_LOC_A : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_LND_ADHOC_LNDS 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
LND_ADHOC_LNDS : 0
SDF(NPASTASK) UDF_LND_GRID2 LND_GRID2 : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
SDF(NPASTASK) UDF_LND_GRID3 LND_GRID3 : 0 14/06/2017 01:31:05 727751 XW-NPAS283 REMARKS
NPAS44 DISPATCHED BY DRAG/DROP 14/06/2017 01:34:31 727751 XW-NPAS283 SYSTEM
NPAS44 En route to Incident 14/06/2017 01:34:35 727751 XW-NPAS283 SYSTEM
NPAS44: LIFTING 4 POB 14/06/2017 01:34:42 727751 XW-NPAS283 REMARKS
NPAS44: SAFELY AWAY 14/06/2017 01:36:16 727751 XW-NPAS283 REMARKS
NPAS44: HAVING TO DROP NPAS1 CHANNEL FOR THIS 14/06/2017 01:42:03 727751 XW-NPAS283 REMARKS
INCIDENT - OPS NORMAL VIA LIPPITTS
NPAS44 On Scene 14/06/2017 01:44:24 727751 XW-NPAS283 SYSTEM
ON SCENE VIA GPS TRACKING 14/06/2017 01:44:33 727751 XW-NPAS283 REMARKS
NPAS44: OPS NORMAL VIA A2G 14/06/2017 01:55:48 727751 XW-NPAS283 REMARKS
NPAS44 TIMER OF UNIT: In Flight (20 mins) HAS 14/06/2017 02:15:58 APPSRV APPSRV SYSTEM
EXPIRED
OPS NORMAL VIA LIPPITTS 14/06/2017 02:16:16 727751 XW-NPAS283 REMARKS
Relation: NPAS-20170614-0033 DUPLICATED BY 14/06/2017 02:25:43 727751 XW-NPAS283 SYSTEM
OPERATOR 727751
NPAS44: OPS NORMAL VIA A2G 14/06/2017 02:28:19 727751 XW-NPAS283 REMARKS
NPAS44 Off Scene - Available in Air 14/06/2017 02:44:32 727751 XW-NPAS283 SYSTEM
NPAS44 - RTB, TAIL ROTAR CHIP CAPTION 14/06/2017 02:44:56 727751 XW-NPAS283 REMARKS
NPAS44: SAFELY DOWN 14/06/2017 02:52:47 727751 XW-NPAS283 REMARKS
NPAS44 Available at Base 14/06/2017 02:52:54 727751 XW-NPAS283 SYSTEM
Off Scene->Result Required OTHER REASON SUPP 14/06/2017 02:54:09 727751 XW-NPAS283 REMARKS
DATA
SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 1 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 1 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_NOT_INC NOT_INC : YES 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_SUM_COMMENT1 COMMENT 1 : 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
major FIRE OF TOWER BLOCK 27 FLOORS.@ OVERVIEW
AND COMAND 7 CONTROL
SDF(NPASTASK) UDF_SUM_COMMENT2 COMMENT 2 : 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
TASK ABANDODN DUE TO TAIL ROTOR CHIP CAPTION
ON AIRCRAFT.
SDF(NPASTASK) UDF_POS_LOC1 POS_LOC1 : LIPPITTS 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_POS_LOC2 POS_LOC2 : LIPPITTS 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_VID_VIDEO VID_VIDEO : YES 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

SDF(NPASTASK) UDF_VID_VREF VID_VREF : LON BF 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_EXT_REF EXT_REF : MP 482 14/06/2017 03:53:01 5467MT WEBSTORM REMARKS
14JUN17

SUPPL DATA COMP. LOG CNA BE CLOSED. 14/06/2017 03:53:16 5467MT WEBSTORM REMARKS

Disposition code: ',412','461' 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

No. of Arrests Summons No. of Reports 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

Handling Officer 727755 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

Qualifiers,DOWNLINK PROVIDED,CIA 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

major FIRE OF TOWER BLOCK 27 FLOORS.

OVERVIEW 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

AND COMAND 7 CONTROL. TASK ABANDODN DUE TO

TAIL ROTOR CHIP CAPTION ON AIRCRAFT.

NPAS-20170614-0025 HAS BEEN DISPOSED 14/06/2017 04:07:07 727751 XW-NPAS283 DISPOSE

CORVUS REQUEST REMOVED FROM I/F TABLE 14/06/2017 04:07:49 CORVUS APPSRV SYSTEM

Reactivated at: XW-NPAS-2 30/06/2017 09:14:58 713550 XW-NPAS-2 SYSTEM

FOLLOW UP ACTIONS:Audit on behalf of Insp 30/06/2017 09:14:58 713550 XW-NPAS-2 REMARKS

Hepworth

Transfer Accepted At Terminal XW-NPAS-2 For 30/06/2017 09:15:03 713550 XW-NPAS-2 SYSTEM

Action

Previous Codes:: ,DOWNLINK PROVIDED,CIA 30/06/2017 09:20:44 713550 XW-NPAS-2 DISPOSE

Audit complete 30/06/2017 09:20:51 713550 XW-NPAS-2 SUPERVISOR

Disposition code: ',412','461' 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

No. of Arrests Summons No. of Reports 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

Handling Officer 727755 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

Qualifiers,DOWNLINK PROVIDED,QUALITY AUDIT,CIA 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

major FIRE OF TOWER BLOCK 27 FLOORS.

OVERVIEW 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

AND COMAND 7 CONTROL. TASK ABANDODN DUE TO

TAIL ROTOR CHIP CAPTION ON AIRCRAFT.

NPAS-20170614-0025 HAS BEEN DISPOSED 30/06/2017 09:20:57 713550 XW-NPAS-2 DISPOSE

CORVUS REQUEST REMOVED FROM I/F TABLE 30/06/2017 09:22:05 CORVUS APPSRV SYSTEM

Reactivated at: XW-SILV290 01/11/2017 11:25:02 727265 XW-SILV290 SYSTEM

FOLLOW UP ACTIONS:OBO INSP HEPWORTH 01/11/2017 11:25:02 727265 XW-SILV290 REMARKS

Reason for Print:OBO INSP HEPWORTH 01/11/2017 11:25:37 727265 XW-SILV290 SYSTEM

---- Relations ----

CALL CARD - NPAS-20170614-0033 DUPLICATED BY OPERATOR 727751

CALL CARD - MET@MPS 0048214062017

14062017@00482@00000000000000

---- Resource Activity ----

(NPAS-20170614-0025 CLOSE - 44)

NPAS44 14/06/2017 01:34:30 727755 864MT Pre-Flight

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS44 14/06/2017 01:34:36 727755 864MT En route to Incident

Take Off (2 mins) **POB**

NPAS44 14/06/2017 01:34:36 727755 864MT En route to Incident

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS44 14/06/2017 01:34:42 727755 864MT En route to Incident

LIFTING 4 POB

NPAS44 14/06/2017 01:36:12 727755 864MT En route to Incident

In Flight (20 mins)

NPAS44 14/06/2017 01:36:12 727755 864MT En route to Incident

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS44 14/06/2017 01:36:16 727755 864MT En route to Incident

SAFELY AWAY

NPAS44 14/06/2017 01:42:03 727755 864MT En route to Incident

HAVING TO DROP NPAS1 CHANNEL FOR THIS INCIDENT - OPS NORM...

NPAS44 14/06/2017 01:44:23 727755 864MT On Scene

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS44 14/06/2017 01:55:41 727755 864MT On Scene

In Flight (20 mins)

NPAS44 14/06/2017 01:55:41 727755 864MT On Scene

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS44 14/06/2017 01:55:48 727755 864MT On Scene

OPS NORMAL VIA A2G

NPAS44 14/06/2017 02:16:05 727755 864MT On Scene

In Flight (20 mins)

NPAS44 14/06/2017 02:16:05 727755 864MT On Scene

GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

11:25:37

Requested by : 727265 Incident Report / NPAS-20170614-0025 / SYS-2017-0031173

Workstation : XW-SILV290

NPAS44 14/06/2017 02:28:12 727755 864MT On Scene
 In Flight (20 mins)
 NPAS44 14/06/2017 02:28:12 727755 864MT On Scene
 GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
 NPAS44 14/06/2017 02:28:19 727755 864MT On Scene
 OPS NORMAL VIA A2G
 NPAS44 14/06/2017 02:44:32 727755 864MT Off Scene - Available in Air
 In Flight (20 mins)
 NPAS44 14/06/2017 02:44:32 727755 864MT Off Scene - Available in Air
 GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
 NPAS44 14/06/2017 02:51:54 727755 864MT Off Scene - Available in Air
 Landing (2 mins)
 NPAS44 14/06/2017 02:51:54 727755 864MT Off Scene - Available in Air
 GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
 NPAS44 14/06/2017 02:52:47 727755 864MT Off Scene - Available in Air
 SAFELY DOWN
 NPAS44 14/06/2017 02:52:54 727755 864MT Available at Base
 On Ground (120 Mins)
 NPAS44 14/06/2017 02:52:54 727755 864MT Available at Base

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

Metropolitan Police Station

Exhibit No. <u>SMT/1</u>	Cust No.	Serial No. MPSZ012613201
Ex. Book No. <u>10/16</u>	OCU:	Other Stn. Ref.
		Lab Ref. No.

Description of exhibit:

NPAS LOG 20170614-0025From place/person: PS TURNER NPASTaken by: DC MORGAN Date: 1/11/17 Time:Sealed by: " Date: 12/12/17 Time:I IDENTIFY THIS EXHIBIT AS THAT REFERRED TO IN
MY STATEMENTSignature: [Signature]

Signature(s) of additional witness(es)

OP NORTHLEIGH
 MP 1404/04 **MPSZ012613201** Form 420B

