

11:26:52

Requested by : 727265 Incident Report / NPAS-20170614-0044 / SYS-2017-0031192

Workstation : XW-SILV290

14/06/2017 03:55:03 (525) MPS / SUPP DATA - 64 COMP.	Section:-LONDON
Priority:(2) Priority 2 INC XFER	Beat:-MET (523896,180964)
Disposal Codes (1-6):-412/477/ / / /	
Operator Collar No:-725430 Scenario:-NPAS	Creator WkstnXW-NPAS288
Dispatcher Badge No:-727751	Owner WkstnXW-NPAS-2
NPAS64	728403

---- Address Information ----

GRENFELL TOWER

GRENFELL RD #FLAT-205, LONDON, W11 1TQ

Proximity:-

[X] Valid Gazetteer:-

-----Qualifiers-----

CIA

DOWNLINK PROVIDED

OPS SUPPORT

---- Date/Time Info. ----

Initial input	14/06/2017	03:55:03
Held	14/06/2017	03:55:03
Accepted	14/06/2017	03:55:03
Assigned		
Dispatched	14/06/2017	04:23:53
En Route		
On Scene	14/06/2017	04:30:29
Off Scene	14/06/2017	06:10:35
Off Scene		
Result Required	14/06/2017	06:21:52
Cleared		
Resulted		
Disposed	30/06/2017	09:34:02

---- CAD Log ----

14/06/2017 03:55:15 725430	XW-NPAS288	criticality
/ C		
14/06/2017 03:55:15 725430	XW-NPAS288	Time of modification
035503 / 035515		
14/06/2017 03:55:15 725430	XW-NPAS288	patient_age1
/ ...		
14/06/2017 03:55:19 725430	XW-NPAS288	Time of modification
035515 / 035519		
14/06/2017 03:55:19 725430	XW-NPAS288	description
FIRE - 13 / FIRE - 64		
14/06/2017 03:56:41 725430	XW-NPAS288	Time of modification
035519 / 035641		
14/06/2017 06:21:46 727751	XW-NPAS283	Time of modification
035641 / 062146		
14/06/2017 06:21:46 727751	XW-NPAS283	description
FIRE - 64 / SUPP DATA - 64		
14/06/2017 06:21:46 727751	XW-NPAS283	Operator id
706 / 800		
14/06/2017 06:21:46 727751	XW-NPAS283	Modifying workstation number
XW-NPAS288 / XW-NPAS283		
14/06/2017 06:21:52 727751	XW-NPAS283	13_date
/ 20170614		
14/06/2017 06:21:52 727751	XW-NPAS283	13_time
/ 062152		
14/06/2017 06:21:52 727751	XW-NPAS283	Status
10 / 13		
14/06/2017 06:34:11 5467MT	WEBSTORM	nearest_hosp
/ ()		
14/06/2017 06:34:11 5467MT	WEBSTORM	description
SUPP DATA - 64 / SUPP DATA - 64 COMP.		
14/06/2017 06:41:16 727751	XW-NPAS283	Disposal code 1
/ 412		
14/06/2017 06:41:16 727751	XW-NPAS283	Disposal code 2

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

/ 477
14/06/2017 06:41:18 727751 XW-NPAS283 status16_date
/ 20170614
14/06/2017 06:41:18 727751 XW-NPAS283 status16_time
/ 064117
14/06/2017 06:41:18 727751 XW-NPAS283 Status
13 / 16
30/06/2017 09:31:35 713550 XW-NPAS-2 Time of modification
064118 / 093135
30/06/2017 09:31:35 713550 XW-NPAS-2 status16_time
064118 /
30/06/2017 09:31:35 713550 XW-NPAS-2 status16_date
20170614 /
30/06/2017 09:31:35 713550 XW-NPAS-2 owner_workstation
XW-NPAS288 / XW-NPAS-2
30/06/2017 09:31:35 713550 XW-NPAS-2 Status
16 / 03
30/06/2017 09:31:35 713550 XW-NPAS-2 Status note
/ RO
30/06/2017 09:31:35 713550 XW-NPAS-2 Assigned
Y / N
30/06/2017 09:31:35 713550 XW-NPAS-2 Date of last modification
20170614 / 20170630
30/06/2017 09:31:35 713550 XW-NPAS-2 Modifying workstation number
XW-NPAS283 / XW-NPAS-2
30/06/2017 09:31:35 713550 XW-NPAS-2 Operator id
800 / 112
30/06/2017 09:31:35 713550 XW-NPAS-2 timer_date
/ 20170701
30/06/2017 09:31:35 713550 XW-NPAS-2 timer_time
/ 093135
30/06/2017 09:34:02 713550 XW-NPAS-2 last_disposal_comment
01 / Scene overview of 27 floor tower block fire.

off scene an

30/06/2017 09:34:02 713550 XW-NPAS-2 last_disposal_comment
02 / d handed over to npas13
30/06/2017 09:34:02 713550 XW-NPAS-2 last_historical_comment
01 /
30/06/2017 09:34:02 713550 XW-NPAS-2 status16_date
/ 20170630
30/06/2017 09:34:02 713550 XW-NPAS-2 status16_time
/ 093402
30/06/2017 09:34:02 713550 XW-NPAS-2 Status
03 / 16

SUPPLEMENTARY FORM

---- Comments ----

(NPAS-20170614-0044 SUPP DATA - 64 COMP.)

Relation: NPAS-20170614-0033 DUPLICATED BY 14/06/2017 03:55:03 725430 XW-NPAS288 SYSTEM
OPERATOR 725430

Cross Referenced To Incident NPAS-20170614-0033 14/06/2017 03:55:27 725430 XW-NPAS288 SYSTEM

Created Supplementary Data NPASTASK 14/06/2017 03:56:02 725430 XW-NPAS288 SYSTEM

SDF(NPASTASK) UDF_BASE BASE : LIPPITTS 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_LITRES LITRES : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_TAKEOFFS TAKEOFFS : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_LANDINGS LANDINGS : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_SUS_LOC_D SUS_LOC_D : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_SUS_LOC_A SUS_LOC_A : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_AIRCRAFT AIRCRAFT : G-EMID 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_PER_LOC_D PER_LOC_D : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_PER_LOC_A PER_LOC_A : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_MISP_LOC_D MISP_LOC_D : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_MISP_LOC_A MISP_LOC_A : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_VEH_LOC_D VEH_LOC_D : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_VEH_LOC_A VEH_LOC_A : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

SDF(NPASTASK) UDF_LND_ADHOC_LNDS 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS

LND_ADHOC_LNDS : 0

11:26:52

Requested by : 727265 Incident Report / NPAS-20170614-0044 / SYS-2017-0031192

Workstation : XW-SILV290

SDF(NPASTASK) UDF_LND_GRID2 LND_GRID2 : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS
SDF(NPASTASK) UDF_LND_GRID3 LND_GRID3 : 0 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS
SDF(NPASTASK) UDF_EXT_REF EXT_REF : MP 482 14/06/2017 03:56:02 725430 XW-NPAS288 REMARKS
14/06/17
NPAS 64 LIFTING APPR 0415 TO BE ON SCENE 14/06/2017 03:56:38 725430 XW-NPAS288 REMARKS
0440HRS TO RELIEVE NPAS 13
NPAS64 DISPATCHED BY DRAG/DROP 14/06/2017 04:23:53 727751 XW-NPAS283 SYSTEM
NPAS64 En route to Incident 14/06/2017 04:24:00 727751 XW-NPAS283 SYSTEM
NPAS64: LIFTING 3 POB 14/06/2017 04:24:05 727751 XW-NPAS283 REMARKS
NPAS64: SAFELY AWAY 14/06/2017 04:24:44 727751 XW-NPAS283 REMARKS
NPAS64 On Scene 14/06/2017 04:30:29 727751 XW-NPAS283 SYSTEM
NPAS64: ON SCENE, DROPPING NPAS1 T/G 14/06/2017 04:30:39 727751 XW-NPAS283 REMARKS
NPAS64: OPS NORMAL VIA A2G 14/06/2017 04:44:17 727751 XW-NPAS283 REMARKS
NPAS64: OPS NORMAL VIA A2G 14/06/2017 04:55:42 727751 XW-NPAS283 REMARKS
NPAS64: OPD NORMAL VIA A2G 14/06/2017 05:15:29 727751 XW-NPAS283 REMARKS
NPAS64 TIMER OF UNIT: In Flight (20 mins) HAS 14/06/2017 05:36:07 APPSRV APPSRV SYSTEM
EXPIRED
NPAS64: OPS NORMAL VIA LIPPITTS 14/06/2017 05:36:23 727751 XW-NPAS283 REMARKS
NPAS64: OPS NORMAL VIA A2G 14/06/2017 05:53:08 727751 XW-NPAS283 REMARKS
NPAS64: OPS NORMAL VIA A2G 14/06/2017 06:07:37 727751 XW-NPAS283 REMARKS
NPAS64 Off Scene - Available in Air 14/06/2017 06:10:34 727751 XW-NPAS283 SYSTEM
NPAS64: RESUMING, HANDED OVER TO NPAS13 14/06/2017 06:10:52 727751 XW-NPAS283 REMARKS
NPAS64: LANDING 14/06/2017 06:18:09 727751 XW-NPAS283 REMARKS
NPAS64: SAFELY DOWN 14/06/2017 06:19:40 727751 XW-NPAS283 REMARKS
NPAS64 Available at Base 14/06/2017 06:19:47 727751 XW-NPAS283 SYSTEM
Off Scene->Result Required OTHER REASON SUPP 14/06/2017 06:21:52 727751 XW-NPAS283 REMARKS
DATA
SDF(NPASTASK) UDF_FUEL_LOC FUEL_LOC : LIPPITTS 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_LITRES LITRES : 418 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 1 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 1 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_NOT_INC NOT_INC : YES 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_SUM_COMMENT1 COMMENT 1 : 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
Scene overview of 27 floor tower block fire.@
@ off scene and handed over to npas13
SDF(NPASTASK) UDF_VID_VIDEO VID_VIDEO : YES 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_VID_VREF VID_VREF : lon 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
SDF(NPASTASK) UDF_VID_COMMENTS VID_COMMENTS : 14/06/2017 06:32:55 5467MT WEBSTORM REMARKS
recorded by PC PEARCE and stored at Lippitts
Hill.@
SUPPL DATA COMP, LOG CAN BE CLOSED. 14/06/2017 06:34:11 5467MT WEBSTORM REMARKS
Disposition code: ,412',477' 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
No. of Arrests Summons No. of Reports 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
Handling Officer 728403 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
Qualifiers,DOWNLINK PROVIDED,CIA 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
Scene overview of 27 floor tower block 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
fire.

off scene and handed over to npas13

NPAS-20170614-0044 HAS BEEN DISPOSED 14/06/2017 06:41:18 727751 XW-NPAS283 DISPOSE
CORVUS REQUEST REMOVED FROM I/F TABLE 14/06/2017 06:41:42 CORVUS APPSRV SYSTEM
Reactivated at: XW-NPAS-2 30/06/2017 09:31:36 713550 XW-NPAS-2 SYSTEM
FOLLOW UP ACTIONS:Audit on behalf of Insp 30/06/2017 09:31:36 713550 XW-NPAS-2 REMARKS
Hepworth
Transfer Accepted At Terminal XW-NPAS-2 For 30/06/2017 09:32:05 713550 XW-NPAS-2 SYSTEM
Action
Audit complete 30/06/2017 09:33:56 713550 XW-NPAS-2 SUPERVISOR
Previous Codes:: ,DOWNLINK PROVIDED,CIA 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
Disposition code: ,412',477' 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
No. of Arrests Summons No. of Reports 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
Handling Officer 728403 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
Qualifiers,DOWNLINK PROVIDED,QUALITY AUDIT,CIA 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
Scene overview of 27 floor tower block 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
fire.

off scene and handed over to npas13

NPAS-20170614-0044 HAS BEEN DISPOSED 30/06/2017 09:34:02 713550 XW-NPAS-2 DISPOSE
CORVUS REQUEST REMOVED FROM I/F TABLE 30/06/2017 09:34:46 CORVUS APPSRV SYSTEM
Reason for Print:OBO INSP HEPWORTH 01/11/2017 11:26:52 727265 XW-SILV290 SYSTEM

---- Relations ----

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

11:26:52

Requested by : 727265 Incident Report / NPAS-20170614-0044 / SYS-2017-0031192

Workstation : XW-SILV290

- XREF CALL NPAS-20170614-0033 ASSOCIATED BY OPERATOR 725430

---- Resource Activity ----

(NPAS-20170614-0044 SUPP DATA - 64 COMP.)

NPAS64 14/06/2017 04:23:53 728403 0468SX Pre-Flight
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:24:00 728403 0468SX En route to Incident
Take Off (2 mins) **POB**

NPAS64 14/06/2017 04:24:00 728403 0468SX En route to Incident
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:24:05 728403 0468SX En route to Incident
LIFTING 3 POB

NPAS64 14/06/2017 04:24:39 728403 0468SX En route to Incident
In Flight (20 mins)

NPAS64 14/06/2017 04:24:39 728403 0468SX En route to Incident
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:24:44 728403 0468SX En route to Incident
SAFELY AWAY

NPAS64 14/06/2017 04:30:29 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 04:30:29 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:30:39 728403 0468SX On Scene
ON SCENE, DROPPING NPAS1 T/G

NPAS64 14/06/2017 04:44:05 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 04:44:05 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:44:17 728403 0468SX On Scene
OPS NORMAL VIA A2G

NPAS64 14/06/2017 04:54:23 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 04:54:24 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:55:33 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 04:55:33 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 04:55:42 728403 0468SX On Scene
OPS NORMAL VIA A2G

NPAS64 14/06/2017 04:57:44 728403 0468SX On Scene
(NOTES) TAG DELETED

NPAS64 14/06/2017 05:15:18 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 05:15:18 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 05:15:29 728403 0468SX On Scene
OPD NORMAL VIA A2G

NPAS64 14/06/2017 05:36:13 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 05:36:14 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 05:36:23 728403 0468SX On Scene
OPS NORMAL VIA LIPPITTS

NPAS64 14/06/2017 05:53:02 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 05:53:02 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 05:53:09 728403 0468SX On Scene
OPS NORMAL VIA A2G

NPAS64 14/06/2017 06:07:28 728403 0468SX On Scene
In Flight (20 mins)

NPAS64 14/06/2017 06:07:28 728403 0468SX On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 06:07:37 728403 0468SX On Scene
OPS NORMAL VIA A2G

NPAS64 14/06/2017 06:10:35 728403 0468SX Off Scene - Available in Air
In Flight (20 mins)

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

11:26:52

Requested by : 727265 Incident Report / NPAS-20170614-0044 / SYS-2017-0031192

Workstation : XW-SILV290

NPAS64 14/06/2017 06:10:35 728403 0468SX Off Scene - Available in Air
 GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 06:10:52 728403 0468SX Off Scene - Available in Air
 RESUMING, HANDED OVER TO NPAS13

NPAS64 14/06/2017 06:18:05 728403 0468SX Off Scene - Available in Air
 Landing (2 mins)

NPAS64 14/06/2017 06:18:05 728403 0468SX Off Scene - Available in Air
 GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON

NPAS64 14/06/2017 06:18:09 728403 0468SX Off Scene - Available in Air
 LANDING

NPAS64 14/06/2017 06:19:40 728403 0468SX Off Scene - Available in Air
 SAFELY DOWN

NPAS64 14/06/2017 06:19:47 728403 0468SX Available at Base
 On Ground (120 Mins)

NPAS64 14/06/2017 06:19:47 728403 0468SX Available at Base

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

Metropolitan Police Station

Exhibit No. <i>SMI/3</i>	Cust No.	Serial No. MPSZ012613203
Ex. Book No. <i>10/14</i>	OCU:	Other Stn. Ref.
		Lab Ref. No.

Description of exhibit:

*NPAS LOG 2017.06.14-0044*From place/person: *PS TURNER NPAS*Taken by: *JK MORRAN* Date: *11/11/17* Time:Sealed by: *"* Date: *12/12/17* Time:I IDENTIFY THIS EXHIBIT AS THAT REFERRED TO IN
MY STATEMENTSignature: *[Signature]*

Signature(s) of additional witness(es)

OP NORTHLEIGH

MP 1404/04

MPSZ012613203

Form 420B

