

14/06/2017 07:44:20 (525) MPS / SUPP DATA - 64	Section:-LONDON
Priority:(2) Priority 2 INC XFER	Beat:-MET (523896,180964)
Disposal Codes (1-6):-412/477/ / / /	
Operator Collar No:-726331 Scenario:-NPAS	Creator WkstnXW-NPAS292
Dispatcher Badge No:-726331	Owner WkstnXW-SILV290
NPAS64	726628

----- Address Information -----

GRENFELL TOWER

GRENFELL RD #FLAT-205, LONDON, W11 1TQ

[X] Valid Gazetteer:-

Proximity:-

-----Qualifiers-----

CIA

DOWNLINK PROVIDED

OPS SUPPORT

----- Date/Time Info. -----

Initial input 14/06/2017 07:44:20

Held 14/06/2017 07:44:20

Accepted 14/06/2017 07:44:20

Assigned

Dispatched 14/06/2017 08:20:51

En Route 14/06/2017 08:21:14

On Scene 14/06/2017 08:31:14

Off Scene 14/06/2017 09:44:30

Off Scene

Result Required 14/06/2017 09:53:52

Cleared

Resulted

Disposed

----- CAD Log -----

14/06/2017 07:45:11 726331 XW-NPAS292 description

FIRE - 16 / FIRE - 64

14/06/2017 07:45:11 726331 XW-NPAS292 Time of modification

074420 / 074511

14/06/2017 07:45:11 726331 XW-NPAS292 patient_age1

/ ...

14/06/2017 08:21:14 726331 XW-NPAS292 Status

05 / 06

14/06/2017 08:21:14 726331 XW-NPAS292 Time of modification

074511 / 082114

14/06/2017 08:21:14 726331 XW-NPAS292 status6_date

/ 20170614

14/06/2017 08:21:14 726331 XW-NPAS292 status6_time

/ 082114

14/06/2017 08:21:14 726331 XW-NPAS292 timer_time

082051 / 082114

14/06/2017 08:30:40 726331 XW-NPAS292 Disposal code 1

/ 412

14/06/2017 09:53:52 726331 XW-NPAS292 13_date

/ 20170614

14/06/2017 09:53:52 726331 XW-NPAS292 13_time

/ 095352

14/06/2017 09:53:52 726331 XW-NPAS292 Status

10 / 13

14/06/2017 09:54:02 726331 XW-NPAS292 Time of modification

095352 / 095402

14/06/2017 09:54:02 726331 XW-NPAS292 description

FIRE - 64 / SUPP DATA - 64

14/06/2017 09:54:11 726331 XW-NPAS292 description

SUPP DATA - 64 / SUPP DATA - 64

14/06/2017 09:54:11 726331 XW-NPAS292 Time of modification

095402 / 095411

14/06/2017 13:45:12 722865 XW-NPAS284 Disposal code 2

11:51:48

Requested by : 727265 Incident Report / NPAS-20170614-0057 / SYS-2017-0031205

Workstation : XW-SILV290

/ 477
 14/06/2017 13:45:42 722865 XW-NPAS284 Status
 13 / 16
 14/06/2017 13:45:42 722865 XW-NPAS284 status16_date
 / 20170614
 14/06/2017 13:45:42 722865 XW-NPAS284 status16_time
 / 134542
 30/06/2017 09:40:22 713550 XW-NPAS-2 status16_time
 134542 /
 30/06/2017 09:40:22 713550 XW-NPAS-2 Status note
 / RO
 30/06/2017 09:40:22 713550 XW-NPAS-2 status16_date
 20170614 /
 30/06/2017 09:40:22 713550 XW-NPAS-2 timer_date
 / 20170701
 30/06/2017 09:40:22 713550 XW-NPAS-2 timer_time
 / 094022
 30/06/2017 09:40:22 713550 XW-NPAS-2 Status
 16 / 03
 30/06/2017 09:40:22 713550 XW-NPAS-2 Modifying workstation number
 XW-NPAS284 / XW-NPAS-2
 30/06/2017 09:40:22 713550 XW-NPAS-2 owner_workstation
 XW-NPAS292 / XW-NPAS-2
 30/06/2017 09:40:22 713550 XW-NPAS-2 Operator id
 124 / 112
 30/06/2017 09:40:22 713550 XW-NPAS-2 Time of modification
 134542 / 094022
 30/06/2017 09:40:22 713550 XW-NPAS-2 Assigned
 Y / N
 30/06/2017 09:40:22 713550 XW-NPAS-2 Date of last modification
 20170614 / 20170630
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 01 / NPAS64 were tasked to take over for continuous cover of larg
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 02 / e fire at Grenfell tower, london, w11. downlink provided and
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 03 / sweep of the main aspects of the building conducted. due t
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 04 / o smoke, only the south and eastern aspect of the building c
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 05 / ould be done in full, partial check of the north and west as
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_disposal_comment
 06 / pect could be done but camera could not penetrate through de
 30/06/2017 09:43:32 713550 XW-NPAS-2 last_historical_comment
 01 /
 30/06/2017 09:43:32 713550 XW-NPAS-2 Status
 03 / 16
 30/06/2017 09:43:32 713550 XW-NPAS-2 status16_date
 / 20170630
 30/06/2017 09:43:32 713550 XW-NPAS-2 status16_time
 / 094332
 01/11/2017 11:51:12 727265 XW-SILV290 status16_date
 20170630 /
 01/11/2017 11:51:12 727265 XW-SILV290 status16_time
 094333 /
 01/11/2017 11:51:12 727265 XW-SILV290 timer_time
 / 115111
 01/11/2017 11:51:12 727265 XW-SILV290 timer_date
 / 20171102
 01/11/2017 11:51:12 727265 XW-SILV290 Status
 16 / 03
 01/11/2017 11:51:12 727265 XW-SILV290 owner_workstation
 XW-NPAS-2 / XW-SILV290
 01/11/2017 11:51:12 727265 XW-SILV290 Modifying workstation number
 XW-NPAS-2 / XW-SILV290
 01/11/2017 11:51:12 727265 XW-SILV290 Time of modification
 094333 / 115111
 01/11/2017 11:51:12 727265 XW-SILV290 Operator id

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

112 / 909

01/11/2017 11:51:12 727265 XW-SILV290 Date of last modification
20170630 / 20171101

SUPPLEMENTARY FORM

NPAS TASKING

G-EMID
REDHILL
1
1

NO
FUEL
REDHILL

420
RESULTS
0
0
0
0
0
0
0
0

NVIS
0
0

SUMMARY
NPAS64 were tasked to take over for continuous cover of large fire at Grenfell tower, london, w11. downlink provided and sweep of the main aspects of the building conducted. due to smoke, only the south and eastern aspect of the building could be done in full, partial check of the north and west aspect could be done but camera could not penetrate through dense smoke and thermal not viable due to the heat of the building. tasking from control was to provide downlink for lfb which was done.

EVIDENCE

VIDEO

PHOTO

TRAINING

CREW

TYPE

POSITION

LANDING

11:51:48

Requested by : 727265 Incident Report / NPAS-20170614-0057 / SYS-2017-0031205

Workstation : XW-SILV290

0

0

0

DECLINES

DECLINE 1

DECLINE 2

DECLINE 3

---- Comments ----

(NPAS-20170614-0057 SUPP DATA - 64)

Relation: NPAS-20170614-0053 DUPLICATED BY 14/06/2017 07:44:20 726331 XW-NPAS292 SYSTEM
OPERATOR 726331LOG FOR NPAS64 TO RELIEVE NPAS16 AT 08.40 14/06/2017 07:44:46 726331 XW-NPAS292 REMARKS
LIPPETTS MADE AWARE 14/06/2017 07:45:54 726331 XW-NPAS292 REMARKS

Created Supplementary Data NPASTASK 14/06/2017 07:46:20 726331 XW-NPAS292 SYSTEM

SDF(NPASTASK) UDF_BASE BASE : REDHILL 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_LITRES LITRES : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_TAKEOFFS TAKEOFFS : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_LANDINGS LANDINGS : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_SUS_LOC_D SUS_LOC_D : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_SUS_LOC_A SUS_LOC_A : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_AIRCRAFT AIRCRAFT : G-EMID 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_PER_LOC_D PER_LOC_D : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_PER_LOC_A PER_LOC_A : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_MISP_LOC_D MISP_LOC_D : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_MISP_LOC_A MISP_LOC_A : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_VEH_LOC_D VEH_LOC_D : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_VEH_LOC_A VEH_LOC_A : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_LND_ADHOC_LNDS 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

LND_ADHOC_LNDS : 0

SDF(NPASTASK) UDF_LND_GRID2 LND_GRID2 : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

SDF(NPASTASK) UDF_LND_GRID3 LND_GRID3 : 0 14/06/2017 07:46:20 726331 XW-NPAS292 REMARKS

NPAS64 DISPATCHED BY DRAG/DROP 14/06/2017 08:20:51 726331 XW-NPAS292 SYSTEM

NPAS64 En route to Incident 14/06/2017 08:20:58 726331 XW-NPAS292 SYSTEM

NPAS64: LIFTING 3 POB 14/06/2017 08:21:10 726331 XW-NPAS292 REMARKS

NPAS64: IN FLIGHT 14/06/2017 08:22:01 726331 XW-NPAS292 REMARKS

NPAS64 On Scene 14/06/2017 08:31:14 727863 XW-NPAS287 SYSTEM

TEL CALL FROM LIPPITTS - NPAS64 ON SCENE 14/06/2017 08:31:30 727863 XW-NPAS287 REMARKS

Relation: NPAS-20170614-0060 DUPLICATED BY 14/06/2017 08:48:05 726331 XW-NPAS292 SYSTEM

OPERATOR 726331

NPAS64 TIMER OF UNIT: In Flight (20 mins) HAS 14/06/2017 08:52:12 APPSRV APPSRV SYSTEM

EXPIRED

NPAS64: OPS NORMAL 14/06/2017 08:52:39 726331 XW-NPAS292 REMARKS

NPAS64 TO LIPPETTS - 60 MIN DURATION LEFT IF 14/06/2017 08:56:32 726331 XW-NPAS292 REMARKS

WE CAN REFUEL AT LIPPETTS

LIPPETTS TO NPAS64 - NPAS13 WILL TAKE OVER 14/06/2017 09:01:12 726331 XW-NPAS292 REMARKS

SCENE

NPAS64 TIMER OF UNIT: In Flight (20 mins) HAS 14/06/2017 09:21:12 APPSRV APPSRV SYSTEM

EXPIRED

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

11:51:48

Requested by : 727265 Incident Report / NPAS-20170614-0057 / SYS-2017-0031205

Workstation : XW-SILV290

TEL CALL TO LIPPITTS FOR OPS NORMAL - ENGAGED 14/06/2017 09:22:47 727863 XW-NPAS287 REMARKS
 TEL CALL TO LIPPITTS CONFIRMED NPAS16 OPS 14/06/2017 09:24:22 727863 XW-NPAS287 REMARKS
 NORMAL
 NPAS64 TO IL - WILL RETURN TO REDHILL FOR FUEL 14/06/2017 09:30:01 726331 XW-NPAS292 REMARKS
 NPAS64 Off Scene - Available in Air 14/06/2017 09:44:30 727863 XW-NPAS287 SYSTEM
 NPAS64 OFF SCENE - RTB TO REDHILL FOR FUEL 14/06/2017 09:44:44 727863 XW-NPAS287 REMARKS
 NPAS64: LANDING 14/06/2017 09:52:03 726331 XW-NPAS292 REMARKS
 NPAS64 Available at Base 14/06/2017 09:53:30 726331 XW-NPAS292 SYSTEM
 Off Scene->Result Required OTHER REASON 14/06/2017 09:53:52 726331 XW-NPAS292 REMARKS
 SDF(NPASTASK) UDF_FUEL_LOC FUEL_LOC : REDHILL 14/06/2017 10:08:04 0522SX WEBSTORM REMARKS
 SDF(NPASTASK) UDF_LITRES LITRES : 420 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 SDF(NPASTASK) UDF_TASK_NO1 TASK_NO1 : 1 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 SDF(NPASTASK) UDF_TASK_NO2 TASK_NO2 : 1 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 SDF(NPASTASK) UDF_SUM_COMMENT1 COMMENT 1 : 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 NPAS64 were tasked to take over for continuous
 cover of large fire at Grenfell tower, london,
 w11. downlink provided and sweep of the
 main aspects of the building conducted. due to 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 smoke, only the south and eastern aspect of
 the building could be done in full, partial
 check of the north and west aspect could be
 done but camera could not penetrate through 14/06/2017 10:08:05 0522SX WEBSTORM REMARKS
 dense smoke and thermal not viable due to the
 heat of the building. tasking from control was
 to provide downlink for lfb which was done.
 Disposition code: '412','477' 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 No. of Arrests Summons No. of Reports 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 Handling Officer 726628 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 Qualifiers,DOWNLINK PROVIDED,CIA 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 NPAS64 were tasked to take over for continuous 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 cover of large fire at Grenfell tower, london,
 w11. downlink provided and sweep of the main
 aspects of the building conducted. due
 to smoke, only the south and eastern aspect of 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 the building could be done in full, partial
 check of the north and west aspect could be
 done but camera could not penetrate through
 de 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 NPAS-20170614-0057 HAS BEEN DISPOSED 14/06/2017 13:45:42 722865 XW-NPAS284 DISPOSE
 CORVUS REQUEST REMOVED FROM I/F TABLE 14/06/2017 13:45:51 CORVUS APPSRV SYSTEM
 Reactivated at: XW-NPAS-2 30/06/2017 09:40:22 713550 XW-NPAS-2 SYSTEM
 FOLLOW UP ACTIONS:Audit on behalf of Insp 30/06/2017 09:40:22 713550 XW-NPAS-2 REMARKS
 Hepworth
 Transfer Accepted At Terminal XW-NPAS-2 For 30/06/2017 09:40:24 713550 XW-NPAS-2 SYSTEM
 Action
 Audit complete 30/06/2017 09:43:25 713550 XW-NPAS-2 SUPERVISOR
 Previous Codes:: ,DOWNLINK PROVIDED,CIA 30/06/2017 09:43:32 713550 XW-NPAS-2 DISPOSE
 Disposition code: '412','477' 30/06/2017 09:43:32 713550 XW-NPAS-2 DISPOSE
 No. of Arrests Summons No. of Reports 30/06/2017 09:43:32 713550 XW-NPAS-2 DISPOSE
 Handling Officer 726628 30/06/2017 09:43:32 713550 XW-NPAS-2 DISPOSE
 Qualifiers,DOWNLINK PROVIDED,QUALITY AUDIT,CIA 30/06/2017 09:43:33 713550 XW-NPAS-2 DISPOSE
 NPAS64 were tasked to take over for continuous 30/06/2017 09:43:33 713550 XW-NPAS-2 DISPOSE
 cover of large fire at Grenfell tower, london,
 w11. downlink provided and sweep of the main
 aspects of the building conducted. due
 to smoke, only the south and eastern aspect of 30/06/2017 09:43:33 713550 XW-NPAS-2 DISPOSE
 the building could be done in full, partial
 check of the north and west aspect could be
 done but camera could not penetrate through
 de 30/06/2017 09:43:33 713550 XW-NPAS-2 DISPOSE
 NPAS-20170614-0057 HAS BEEN DISPOSED 30/06/2017 09:43:33 713550 XW-NPAS-2 DISPOSE
 CORVUS REQUEST REMOVED FROM I/F TABLE 30/06/2017 09:44:14 CORVUS APPSRV SYSTEM
 Reactivated at: XW-SILV290 01/11/2017 11:51:12 727265 XW-SILV290 SYSTEM
 FOLLOW UP ACTIONS:OBO INSP HEPWORTH 01/11/2017 11:51:12 727265 XW-SILV290 REMARKS
 Transfer Accepted At Terminal XW-SILV290 For 01/11/2017 11:51:14 727265 XW-SILV290 SYSTEM
 Action
 Reason for Print:OBO INSP HEPWORTH 01/11/2017 11:51:48 727265 XW-SILV290 SYSTEM

Data Protection Act 1998. This document is confidential.

Unauthorised use or disclosure is unlawful.

Any disclosure, copying, distribution of the information contained herein is strictly prohibited.

---- Relations ----
CALL CARD - NPAS-20170614-0053 DUPLICATED BY OPERATOR 726331
CALL CARD - NPAS-20170614-0060 DUPLICATED BY OPERATOR 726331

---- Resource Activity ----
(NPAS-20170614-0057 SUPP DATA - 64)
NPAS64 14/06/2017 08:20:51 726628 10110K Pre-Flight
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 08:20:59 726628 10110K En route to Incident
Take Off (2 mins) **POB**
NPAS64 14/06/2017 08:20:59 726628 10110K En route to Incident
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 08:21:10 726628 10110K En route to Incident
LIFTING 3 POB
NPAS64 14/06/2017 08:21:54 726628 10110K En route to Incident
In Flight (20 mins)
NPAS64 14/06/2017 08:21:54 726628 10110K En route to Incident
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 08:22:01 726628 10110K En route to Incident
IN FLIGHT
NPAS64 14/06/2017 08:31:14 726628 10110K On Scene
In Flight (20 mins)
NPAS64 14/06/2017 08:31:14 726628 10110K On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 08:52:32 726628 10110K On Scene
In Flight (20 mins)
NPAS64 14/06/2017 08:52:32 726628 10110K On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 08:52:39 726628 10110K On Scene
OPS NORMAL
NPAS64 14/06/2017 09:00:48 726628 10110K On Scene
In Flight (20 mins)
NPAS64 14/06/2017 09:00:48 726628 10110K On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 09:24:06 726628 10110K On Scene
In Flight (20 mins)
NPAS64 14/06/2017 09:24:06 726628 10110K On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 09:29:13 726628 10110K On Scene
In Flight (20 mins)
NPAS64 14/06/2017 09:29:13 726628 10110K On Scene
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 09:44:30 726628 10110K Off Scene - Available in Air
In Flight (20 mins)
NPAS64 14/06/2017 09:44:30 726628 10110K Off Scene - Available in Air
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 09:51:55 726628 10110K Off Scene - Available in Air
Landing (2 mins)
NPAS64 14/06/2017 09:51:55 726628 10110K Off Scene - Available in Air
GRENFELL TOWER, GRENFELL RD #FLAT-205, , LONDON
NPAS64 14/06/2017 09:52:03 726628 10110K Off Scene - Available in Air
LANDING
NPAS64 14/06/2017 09:53:30 726628 10110K Available at Base
On Ground (120 Mins)
NPAS64 14/06/2017 09:53:30 726628 10110K Available at Base

Data Protection Act 1998. This document
Unauthorised use or disclosure is
Any disclosure, copying, distribution of the information cor

Metropolitan Police Station			
Exhibit No.	Cust No.	Serial No.	
SMT/6		MPSZ012613206	
Ex. Book No.	OCU:	Other Str. Ref.	Lab Ref. No.
10/21			

Description of exhibit:

NPAS LOG 20170614-0057

From place/person: PS TURNER NPAS

Taken by: DC MORGAN Date: 1/11/17 Time:

Sealed by: 9 Date: 12/12/17 Time:

I IDENTIFY THIS EXHIBIT AS THAT REFERRED TO IN
MY STATEMENT

Signature: [Signature]

Signature(s) of additional witness(es)

OP NOR THURLEIGH
MP 1404/04 MPSZ012613206 Form 420B

